

Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

- = Standard = Cost option
- = No cost option

Max. user weight: 125 kg
USER WEIGHT kg

Mandatory information to ensure correct configuration

Part. No. : 84600001 **QPP01**

Base Price
£1,694



5% Surcharge will be added to the total value of the order

CLIENT MEASUREMENTS (all measurements without cushion)

SEAT WIDTH SELECTION - measured from outside frame tube to outside frame tube (cm)

28	30	32	34	36	38	40	42	44	46	48	50
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

SEAT DEPTH SELECTION - measured in cm

32*	34*	36	38	40	42	44	46
<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Short Frame				Medium Frame		Long Frame	

* not available with frame widths 34cm or greater

* not available with swing-away frame

FRONT SEAT HEIGHT SELECTION: in dependance of front castors and frame versions

Front seat height in cm

		Fork type (mm)		Front seat height in cm														
		40	41	42	43	44	45	46	47	48	49	50	51	52	53			
Front castor	4"	Hemi Version		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>												
		Carbotecture (111 mm)	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Aluminium (123 mm) (1)		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (143 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>							
		Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	5"	Hemi Version	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>												
		Carbotecture (111 mm)			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>									
		Aluminium (123 mm) (1)				<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (143 mm) (1)					<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (168 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	6"	Hemi Version			<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>										
		Carbotecture (111 mm)						<input type="radio"/>	<input type="radio"/>	<input type="radio"/>								
		Aluminium (123 mm) (1)							<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>						
		Aluminium (143 mm) (1)								<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>				
		Aluminium (168 mm) (1)									<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	7"	Aluminium (168 mm) (1)									<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	

Hemi version only with SA frame

REAR SEAT HEIGHT SELECTION: in dependance of rear wheel size

Rear seat height in cm

Rear wheels	40	41	42	43	44	45	46	47	48	49	50
22"	<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>		
24"				<input type="radio"/>	<input type="radio"/>		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

The rear seat height can only be between 0 mm and 110 mm below the selected front seat height.

(1) compatible with power add on devices

						£	
SEAT UPHOLSTERY AND CUSHIONS							
Seat slings							
LFT020014	●	Seat sling, nylon, 1 utility bag					
LFT020000	○	Without seat sling					
Seat cushion, cover with zipper, black							
LFT020101	□	Seat cushion, foam (medium-soft), cover with zipper, black, 3cm					66
LFT020102	□	Seat cushion, foam (medium-soft), cover with zipper, black, 5cm					66
LFT020103	□	Seat cushion, Latex (very soft), cover with zipper, black, 5cm					66
LFT020104	□	Seat cushion, Latex (very soft), cover with zipper, black, 8cm					66
Seat cushion, climatic membrane water-resistant, cover with zipper, black							
LFT020105	□	Seat cushion, foam (medium-soft), climatic membrane water-resistant, zipper, black, 3cm					123
LFT020106	□	Seat cushion, foam (medium-soft), climatic membrane water-resistant, zipper, black, 5cm					123
LFT020107	□	Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 5cm					123
LFT020108	□	Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 8cm					123
Jay Cushion - for complete Jay product range see Jay order forms							
JAY020002	□	JAY Basic					55
JAY020003	□	JAY Soft Combi P					77
JAY020001	□	JAY Easy Visco C					132
JAY020007	□	JAY Easy Fluid Cushion					308
JAY020004	□	JAY LITE					215
Seat accessories							
LFT090018	○	Lap belt with buckle, metal					
LFT020150	□	Replacement cover for seat cushion, cover with zipper, black				<i>(only with cushion order)</i>	48
BACKREST							
Backrest height range		25-30	30-35	35-40	40-45	45-47.5	
Back height setting at (cm)		○ 25	○ 30	○ 35	○ 40	○ 45	
		○ 27.5	○ 32.5	○ 37.5	○ 42.5	○ 47.5	
		○ 30	○ 35	○ 40	○ 45		
LFT030001	●	Backrest tube, aluminium					
LFT030101	□	Backrest, half-folding (to the back)				<i>(from back height 45-47.5cm)</i>	69
LFT030031	□	Backrest, fold-down (to the front)				<i>(from back height 30-47.5cm)</i>	69
LFT030012	○	Backrest, angle-adjustable					
		○ -12° (78 EU)	○ -8° (82 EU)		○ -4° (86 EU)		
		○ 0° (90 EU)	○ 4° (94 EU)		○ 8° (98 EU)	○ 12° (102 EU)	
Push handles							
LFT030201	●	Push handles long					
LFT030203	□	Push handles, fold-down (1)				<i>(only from back height 30cm; from 35cm with angle adj back)</i>	129
LFT030204	□	Push handles, height-adjustable (1) (2)				<i>(only from back height 30cm)</i>	171
LFT030205	□	Push handles, height-adjustable for Jay backs (1) (2)				<i>(only from back height 30cm)</i>	171
LFT030200	○	Without push handles (1)					
Backrest upholstery (black)							
LFT030316	○	EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Version)					
		Colour, binding ● Black ○ Orange ○ Silver ○ Red ○ Blue					
LFT030317	□	EXO PRO Backrest sling, synth fibre, padded, adj, breathable, spacer fabric, 1 accessory bag, black (Evo Exo Version)					147
		Colour, binding ● Black ○ Orange ○ Silver ○ Red ○ Blue					
LFT030300	○	Omit Back Upholstery					
Backrest accessories							
LFT030402	□	Stabilising bar, automatic folding (2)				<i>(from sw 360 mm)</i>	141
LFT030411	□	Headrest, medium height, depth and angle-adjustable, 20 x 11cm					203
LFT030410	□	Headrest, tall height, depth and angle-adjustable, 23 x 11cm					203
(1)	Not in combination with backrest, half-folding (to the back)						
(2)	Not in combination backrest backrest, fold-down (to the front)						

JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms								£		
JAY 3 Back - Shallow Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY030010	Medium 34cm	<input type="checkbox"/>	JAY030033	Tall 38cm		506		
Upper Thoracic:	<input type="checkbox"/>	JAY030012	Short 42cm	<input type="checkbox"/>	JAY030019	Medium 46cm	<input type="checkbox"/>	JAY030025	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/>	JAY030015	Short 53cm	<input type="checkbox"/>	JAY030022	Medium 57cm	<input type="checkbox"/>	JAY030028	Tall 61cm	572
JAY 3 Back - Mid Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY030011	Medium 34cm	<input type="checkbox"/>	JAY030018	Tall 38cm		506		
Upper Thoracic:	<input type="checkbox"/>	JAY030013	Short 42cm	<input type="checkbox"/>	JAY030020	Medium 46cm	<input type="checkbox"/>	JAY030026	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/>	JAY030016	Short 53cm	<input type="checkbox"/>	JAY030023	Medium 57cm	<input type="checkbox"/>	JAY030029	Tall 61cm	572
JAY 3 Back - Deep Contour										
Upper Thoracic:	<input type="checkbox"/>	JAY030014	Short 42cm	<input type="checkbox"/>	JAY030021	Medium 46cm	<input type="checkbox"/>	JAY030027	Tall 50cm	627
Shoulder Height:	<input type="checkbox"/>	JAY030017	Short 53cm	<input type="checkbox"/>	JAY030024	Medium 57cm				627
JAY030004	<input type="checkbox"/>	Jay Flip Back Headrest (J3EUHDFH & J3EUHDLSP)					(only with JAY 3 backs)		255	
JAY030006	<input type="checkbox"/>	Jay Std. Headrest (J3EUHDXH & J3EUHDLSP)					(only with JAY 3 backs)		138	
JAY J3 Carbon Back - Shallow Contour (with quick-release hardware)										
Low Thoracic:	<input type="checkbox"/>	JAY060001	Short - 17cm	<input type="checkbox"/>	JAY060002	Tall - 24cm		460		
Mid Thoracic:	<input type="checkbox"/>	JAY060003	Short - 30cm	<input type="checkbox"/>	JAY060004	Tall - 38cm		460		
JAY Zip Back										
M (20 cm)	<input type="checkbox"/>	JAY070004	SW 28cm					523		
M (20 cm)	<input type="checkbox"/>	JAY070005	SW 30-34cm					534		
T (25cm)	<input type="checkbox"/>	JAY070007	SW 28cm					539		
T (25cm)	<input type="checkbox"/>	JAY070008	SW 30-34cm					550		
X (30cm)	<input type="checkbox"/>	JAY070010	SW 28cm					561		
X (30cm)	<input type="checkbox"/>	JAY070011	SW 30-34cm					572		
ARMREST AND SIDEGUARDS										
Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)										
LFT040050	<input type="checkbox"/>	<input type="radio"/>	Single-post sideguard, armpad (25cm), height-adjustable, removable						146	
LFT040051	<input type="checkbox"/>	<input type="radio"/>	Single-post sideguard, armpad (36cm), height-adjustable, removable						146	
LFT040052	<input type="checkbox"/>	<input type="radio"/>	Single-post sideguard, armpad (33cm), depth adjustable, height-adjustable, removable					(3)		
Desk armrest with long and short pad (1)										
LFT040001	<input type="checkbox"/>	Desk sideguard, armpad (25cm), fixed, flip-up, removable							161	
LFT040006	<input type="checkbox"/>	Desk sideguard, armpad (36cm), fixed, flip-up, removable							161	
LFT040002	<input type="checkbox"/>	Desk sideguard, armpad (25cm), height-adjustable, flip-up, removable							200	
LFT040007	<input type="checkbox"/>	Desk sideguard, armpad (36cm), height-adjustable, flip-up, removable							200	
LFT040005	<input type="checkbox"/>	Desk sideguard, flip-up, removable							161	
LFT040020	<input type="checkbox"/>	Release assistance for tetraplegics							30	
Sideguards (not in combination with armrest)										
LFT040107	<input type="checkbox"/>	<input type="radio"/>	Sideguard, composite, removable, 21cm high (31cm long), black					(4)		
LFT040103	<input type="checkbox"/>	<input type="radio"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour)					(2)	(available with safari brake)	
LFT040102	<input type="checkbox"/>	<input type="checkbox"/>	Sideguard, aluminium, cold weather protection (in frame colour)					(2)	(not with safari brake)	164
LFT040055	<input type="checkbox"/>	Armpad, height-adjustable, short						(not with safari brake)	164	
LFT040104	<input type="checkbox"/>	<input type="checkbox"/>	Sideguard, carbon fibre, fender, cold weather protection (black)					(2)	(not with safari brake)	308
TRAYS										
LFT090111	<input type="checkbox"/>	Tray, wood, push-fit, SW 22-36cm						only with LFT040055	140	
LFT090112	<input type="checkbox"/>	Tray, plastic, swing-away, left-mount						(only with height adj. armrests with pad)	140	
LFT090113	<input type="checkbox"/>	Tray, plastic, swing-away, right-mount						(only with height adj. armrests with pad)	140	
FRAME										
LFT010010	<input type="checkbox"/>	<input type="radio"/>	Frame FF 75° (integrated footrest)						(from LLL 26cm)	
LFT010011	<input type="checkbox"/>	<input type="radio"/>	Frame FF 85° (integrated footrest)						(from LLL 26cm)	
LFT010023	<input type="checkbox"/>	<input type="radio"/>	Frame FF 75° (integrated footrest), abducted (25 mm on each side)						(not for SW 48/50; from LLL 26cm, Max User Weight 100kg)	
LFT010016	<input type="checkbox"/>	<input type="checkbox"/>	Frame FF 85° (integrated footrest), inset (20 mm on each side), active						(from SW 34; from LLL 26cm)	146
LFT010015	<input type="checkbox"/>	<input type="radio"/>	Frame SA (removable footrest)						(not for SD 32/34)	
LFT090100	<input checked="" type="checkbox"/>	Tie down brackets for transportation							Std	
(1) not in combination with backrest, half-folding (to the back), fold down back only from BH 375 mm only 1° & 2° camber										
(2) Effective seat width (measured between the sideguards) is seat width + 20 mm								(3) with abduction only from SW 34		
(4) COG 83 not possible with abducted frame; not with safari brake										

			£
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option			
COG23	<input type="radio"/>	Centre of gravity 2.3cm	
COG43	<input type="radio"/>	Centre of gravity 4.3cm	
COG63	<input type="radio"/>	Centre of gravity 6.3cm	
COG83	<input type="radio"/>	Centre of gravity 8.3cm	
FRAME ACCESSORIES			
LFT090010	<input type="checkbox"/>	Transit wheels <i>(not with crutch holder, tip assist and anti tip)</i>	194
Tip assist (step tube) & crutch holder			
LFT090001	<input type="checkbox"/>	Tip assist, left	28
LFT090002	<input type="checkbox"/>	Tip assist, right	28
LFT090003	<input type="checkbox"/>	Tip assist, pair <i>(choose either tip assist or anti- tip tubes, not both)</i>	54
LFT090009	<input type="checkbox"/>	Crutch holder, loop <i>(only in combination with tip assist)</i>	67
Anti-tip tubes, swing-away			
LIF090036	<input type="radio"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair <i>(not with tip assist)</i>	
LFT090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	87
LFT090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right	87
LFT090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair <i>(choose either tip assist or anti- tip tubes, not both)</i>	176
PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames			
LFT090211	<input type="checkbox"/>	without ATTITUDE order <i>(docking pins assembled)</i>	97
LFT090212	<input type="radio"/>	with ATTITUDE order <i>(docking pins assembled; ATTITUDE order seperately)</i>	
HANGERS & FOOTPLATES			
Aluminium hanger			
LFT050002	<input type="radio"/>	Hanger angle 70°	
LFT050001	<input type="radio"/>	Hanger angle 80°	
LFT050041	<input type="radio"/>	Hanger angle 90° <i>(not with 6", 7" castor)</i>	
LFT050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH	LFT050007 <input type="radio"/> Hanger, aluminium, swing-away, RH
<i>pick both</i>	<input type="radio"/>	Hanger, aluminium, swing-away, pair	
Composite hanger			
LFT050002	<input type="radio"/>	Hanger angle 70°	
LFT050001	<input type="radio"/>	Hanger angle 80°	
LFT050003	<input type="radio"/>	Hanger, composite, swing-away, LH	LFT050004 <input type="radio"/> Hanger, composite, swing-away, RH
<i>pick both</i>	<input type="radio"/>	Hanger, composite, swing-away, pair	
Elevating Legrest (ELR) (1) <i>(not with footboards, platform; only SA frame)</i>			
LFT050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	127
LFT050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	127
<i>pick both</i>	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1)	254
Amputee Support Pad			
LFT050014	<input type="checkbox"/>	Amputee support, left	129
LFT050013	<input type="checkbox"/>	Amputee support, right	129
LFT050012	<input type="checkbox"/>	Amputee support, pair	256
Footboards (colour black)			
LFT050020	<input checked="" type="radio"/>	Footboard, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050050	<input type="radio"/>	Footboard, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	
LFT050102	<input type="radio"/>	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	
		LFT050126 <input type="checkbox"/> Swing-away mechanism for platform footboard <i>(only from LLL 380 mm)</i>	146
		LFT050062 <input type="checkbox"/> Locking system, platform footplate, aluminium	54
LFT050131	<input type="radio"/>	Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap, black	
LFT050132	<input type="checkbox"/>	Footboard,platform,lightweight,carbon fibre,angle &depth-adjustable flip up (sideways),calf strap,black	305
LFT050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard	19
(1) not in combination with footboard platform; not with SW 28-36			

LOWER LEG LENGTH (LLL) - LLL has to be 2.5cm lower than front seat height; measurements in cm

- 22 23 24 25 26 27 28 29 30 31
 32 33 34 35 36 37 38 39 40 41
 42 43 44 45 46 47 48 49 50

SA Frame: LLL 22-29 from SW34 with divided footboard / from SW32 with platform footboard

FF Frame: LLL 26-33 from SW34 (SW30 with abduction) with divided footboard/from SW32 (SW28 with abduction) with platform footboard

FORK*(compare with your choice on the first page)*

LFT080041	<input type="radio"/>	Castor fork, Aluminium, Black	
		LFT080042 <input type="radio"/> Colour Cast. Fork Silver	
		LFT080043 <input type="radio"/> Colour Cast. Fork Orange	
LFT080013	<input type="radio"/>	Castor fork, Carbotecture® ● Black <input type="radio"/> Orange <input type="radio"/> Silver	<i>(only 111 mm)</i>
LFT080101	<input type="checkbox"/>	Expansion kit, designed for hemiplegic users	110

CASTOR*(compare with your choice on the first page)*

LFT080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black	
LFT080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black	<i>(only for 5" and 6")</i>
LFT080305	<input type="radio"/>	Castor, pneumatic, rim: composite, black	<i>(only for 4" and 5")</i>
LFT080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite, black	<i>(only for 4" and 5")</i> 64
LFT080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium	<i>(only for 4" and 5")</i> 76
LFT080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium, silver	<i>(only for 4" and 5")</i> 76
		Colour, rim: LFT080311 <input type="radio"/> Black LFT080315 <input type="radio"/> Blue	
		LFT080313 <input type="radio"/> Orange LFT080314 <input type="radio"/> Red	

REAR WHEEL*(compare with your choice on the first page; choose only one wheel type)*

LFT070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	
LFT070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes	<i>(only 24")</i>
LFT070003	<input type="radio"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	
LFT070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes	<i>(Max User Weight 100kg)</i> 468
LFT070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver	<i>(only 24")</i> 437
LFT070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes <i>(22" & 24"; only with stainless steel handrim, COG 43 mm; 0° camber) (3)</i>	353
LFT070401	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation	<i>(not with camber)</i> 654
LFT070402	<input type="checkbox"/>	Rear wheel, one-hand operation, 36 spokes, cross-spoked, right actuation	<i>(not with camber)</i> 654
LFT070000	<input type="radio"/>	Without rear wheel	

TYRES*(choose only one tyre type)*

LFT070107	<input checked="" type="radio"/>	Tyre, pneumatic, slick, Schwalbe One	<i>(only 24")</i>
LFT070102	<input type="radio"/>	Tyre, puncture proof, tread	<i>(not with lightweight wheels)</i>
LFT070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run	
LFT070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	90
LFT070106	<input type="checkbox"/>	Tyre, pneumatic, tread, Schwalbe Downtown Two Grip	<i>(only 24")</i> 90

HANDRIM

LFT070202	<input type="radio"/>	Handrims, aluminium, anodised, silver	
LFT070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear	
LFT070204	<input type="radio"/>	Handrims, stainless steel, silver	
LFT070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured	60
LFT070207	<input type="checkbox"/>	Handrims, Supergrip®	<i>(22" only with universal and drum brake wheels)</i> 222
LFT070208	<input type="checkbox"/>	Handrims, Maxgrepp®	<i>(only handrim mounting wide)</i> 222
LFT070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black	<i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i> 177
LFT070200	<input type="radio"/>	Without handrims	

(1) not in combination with 7" castors, Carbotecture fork; SA frame only**(2)** only with 0-4° camber**(3)** RSH for 22": 40-45cm; for 24": 42-47cm; axle plate silver

HANDRIM MOUNTING

LFT070317	<input type="radio"/>	Handrim mount, narrow (17 mm)	(not with Maxgrepp)	
LFT070327	<input type="radio"/>	Handrim mount, wide (27 mm)		
LFT070307	<input type="radio"/>	Handrim mount, super narrow (7 mm)	(Only with 24" stainless steel)	

WHEEL CAMBER

(choose only one option; Armrests only with 0° & 1°)

LFT070600	<input type="radio"/>	Camber 0°	(no camber brackets provided)	
LFT070601	<input type="radio"/>	Camber 1°	LFT070603 <input type="radio"/> Camber 3°	LFT070605 <input type="radio"/> Camber 5°
LFT070602	<input checked="" type="radio"/>	Camber 2°	LFT070604 <input type="radio"/> Camber 4°	LFT070606 <input type="radio"/> Camber 6°

SPOKE GUARDS

(not with spinergy wheels)

LFT070831	<input type="checkbox"/>	Transparent		122	
LFT070826	<input type="checkbox"/>	Rotation	LFT070815 <input type="checkbox"/> Graphik	LFT070804 <input type="checkbox"/> Bibbo	122
LFT070810	<input type="checkbox"/>	Fantasy	LFT070813 <input type="checkbox"/> Glaktica	LFT070805 <input type="checkbox"/> Cheese	122
LFT070823	<input type="checkbox"/>	Princess	LFT070808 <input type="checkbox"/> Dancing Bear	LFT070818 <input type="checkbox"/> Jungle Fever	122
LFT070816	<input type="checkbox"/>	Happy Lions	LFT070832 <input type="checkbox"/> Water World	LFT070825 <input type="checkbox"/> Randolf	122
LFT070819	<input type="checkbox"/>	Monkeys	LFT070821 <input type="checkbox"/> Pirates	LFT070811 <input type="checkbox"/> Feather	122
LFT070820	<input type="checkbox"/>	Oriental	LFT070824 <input type="checkbox"/> Racing	LFT070809 <input type="checkbox"/> Dirt Race	122
LFT070829	<input type="checkbox"/>	Superhero	LFT070814 <input type="checkbox"/> Graffiti	LFT070806 <input type="checkbox"/> Chrome	122
LFT070817	<input type="checkbox"/>	Hot Wheels	LFT070802 <input type="checkbox"/> Basketball	LFT070803 <input type="checkbox"/> Basketball 2	122
LFT070822	<input type="checkbox"/>	Pool	LFT070812 <input type="checkbox"/> Flying Water	LFT070828 <input type="checkbox"/> Space	122
LFT070827	<input type="checkbox"/>	Silk	LFT070801 <input type="checkbox"/> Abstract	LFT070807 <input type="checkbox"/> Creative	122
LFT070830	<input type="checkbox"/>	Tiger	LFT070833 <input type="checkbox"/> Zebra		122

WHEEL LOCKS

(choose only one option)

LFT060001	<input type="radio"/>	Standard brake		
LFT060003	<input type="radio"/>	Compact brake		
LFT060013	<input type="radio"/>	Push to lock brake, integrated in sideguard, Safari		
LFT060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		38
LFT060002	<input type="radio"/>	Knee-lever brake		
LFT060016	<input type="checkbox"/>	Push to lock brake, one-arm, right actuation		158
LFT060015	<input type="checkbox"/>	Push to lock brake, one-arm, left actuation		158

ACCESSORIES

LFT090000	<input checked="" type="radio"/>	Tool kit		
LFT090025	<input type="checkbox"/>	Air pump		15
LFT090024	<input type="checkbox"/>	High pressure pump (0 - 11 bar)		73
LFT090030	<input type="checkbox"/>	Back pack		59
LFT090019	<input type="checkbox"/>	Caddy, flip-up bracket for bags		59
LFT090026	<input type="checkbox"/>	Mobile phone pocket		44

COLOURS⁽¹⁾

Please consult our colour catalogue to review your colour choice

	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
		£60	£171	£58			£60	£171	£58
01 White RAL 9010	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	26 Silver Texture	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
02 Brilliant Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	27 Graphitemetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
03 Silver Matt	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	28 Platinmetallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
04 Silver	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	29 Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
06 Sun Yellow	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	31 Matt Black	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
07 Brilliant Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	32 Signal White	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
08 Matt Lime	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	33 Pink	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
14 Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	34 Dark Chocolate Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
15 Brilliant Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	35 Skyblue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
16 Matt Marine	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	36 Cyan-Metallic	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
19 Brilliant Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	37 Marsred (Orange)	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
20 Matt Purple	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	39 Cappuccino	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
21 Red Ruby	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	40 Kiwi	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
22 Brilliant Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	41 Flamingo-Glitter	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
23 Matt Red	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	42 Matt-Anthracite	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
24 Tutti Frutti Orange	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	43 Azuri Blue	<input type="radio"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel; Fork: not with Carbotecture

£

STICKER COLOURS

LFT100550	<input checked="" type="radio"/>	Sticker colour - black	
LFT100551	<input type="radio"/>	Sticker colour - silver	

ANODIZED COLOUR AXLE PLATE

(not in combination with one hand operation)

LFT100580	<input checked="" type="radio"/>	Axle plate anodized , black	
LFT100581	<input type="radio"/>	Axle plate anodized , silver	
LFT100582	<input type="radio"/>	Axle plate anodized, orange	

24 " LIGHT WEIGHT WHEEL COLOURS

	<input checked="" type="radio"/>	Black	
LFT100336	<input type="checkbox"/>	Anodized, orange	91
LFT100337	<input type="checkbox"/>	Anodized, blue	91
LFT100338	<input type="checkbox"/>	Anodized, red	91

Comments for special build - please apply for a quote; lead time conditions my change.

Quickie Life T - Basic Price	£1,694
Option price	
Packaging and transport	
Exclusive VAT	
VAT.	
Total Price (Not Including 5% Surcharge)	

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° kneeangle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. 125 kg
(min. 30 mm longer than user measurement)
Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90°
and positive angles are > 90°.

Technical Data Overview - Life T

Max. overall height:	1035 mm		
Max. overall length:	1075 mm		
Max. turning circle:	860 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 7 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle
For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights.
Manufacturing tolerances of +/- 10 mm

BACKREST



Backrest tube, aluminium



Backrest, half folding (to the back)



Backrest, angle adjustable



Backrest, fold down (to the front)



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Stabilizer bar, automatic folding



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling

JAY BACKS



Jay 3 Back
Shallow Contour



Jay 3 Back
Mid Contour



Jay 3 Back
Deep Contour



Jay 3 Carbon Back
Shallow Contour



Jay Zip Back

ARMREST AND SIDEGUARDS



Single post height
adjustable



Single-post sideguard,
armpad, height-adjustable,
remove



Desk sideguard, armpad,
fixed, flip-up, remove



Desk sideguard, armpad,
height-adjustable, flip-up,
remove



Desk sideguard, flip-up,
remove



Composite sideguard,
removeable (black)



Aluminium sideguard, wet
weatherprotection (in
frame colour)



Aluminium sideguard,
fender, wet
weatherprotection (in
frame colour)



Carbon fibre sideguard,
fender, wet
weatherprotection (black)

FRAME



Frame FF 105°
(integrated footrest)



Frame FF 95°
(integrated footrest)



Frame FF 105°
(integrated footrest),
abducted (20 mm on
each side)



Frame FF 95°
(integrated footrest),
20 mm inset, active



Frame SA
(removable footrest)

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder,
loop



Anti-tip tubes, swing-
away, left

HANGERS AND FOOTPLATES




Aluminium hanger, 90°



Composite hanger
110°/100°



Elevating legrest
(ELR)



Amputee Support Pad



Footboard, divided,
composite, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, divided,
aluminium, angle-
adjustable, flip-up
(sideways), heel loop,
black



Footboard, platform,
lightweight, plastic,
angle & depth-
adjustable flip up
(sideways), calf strap,
black



Footboard, platform,
lightweight, plastic,
angle & depth-adjustable
flip up (sideways), calf
strap



Footboard, angle and depth
adjustable; flip up, aluminium with
locking system

FORKS



Fork Aluminium,
black, orange & silver



Expansion kit, designed for
hemiplegic users

REAR WHEELS



Rear wheel, Universal,
36 spokes, cross-wise
spokes



Rear wheel, Design, 36
spokes, straight spokes



Rear wheel, Lightweight,
24 spokes, straight
spokes



Rear wheel, Proton,
24 spokes, straight
spokes



Rear wheel,
Spinergy, 18
spokes (black),
straight spokes;
hub: silver



Rear wheel,
drum brakes, 36
spokes, cross-
wise spokes

TYRES



Tyre, puncture proof, tread



Tyre, pneumatic, fine
profile, Schwalbe Right
Run



Tyre, pneumatic, puncture proof,
tread, Schwalbe Marathon Plus
Evolution



Tyre, pneumatic, slick,
Schwalbe One

HANDRIMS



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake,
integrated in sideguard,
Safari



Push to lock brake, one-
arm, right actuation



Brake lever extension,
knee-lever brake, fold-
down

ACCESSORIES



Caddy, flip-up
bracket for
bags



Back pack



High pressure pump



Air pump



Mobile phone
pocket

ANODIZED COLOUR AXLE PLATE



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red