





																				Life R1
Deliver to:] _	_		Invo	ice to	:						
lame:										:		Nam	ie:							
Street:												Street:								
own:			Pos	tal code:								Town:						Postal code:		
-Mail:												E-Mail:								
Fel:			Fax	:								Tel:								Fax:
Order date:									1			Mark	ked fo	or.						
Purchase or	der:											man								
lumber req												Suni	ise o	rder r	ю.					
							J				= Sta							□ = Cost option		
															optio	n				
															0000					
					(1.0	Ner I	1				Мах	. use	er we	eight					125 kg
	Base Price												R W							kg
		£1,694			1	-		9				Manda	atory inf	ormatio	n to en	sure co	rrect co	onfigura	ation	0
5% Su	rcharge w	ill be added to the tota	I value of the or	der																
												Part	. no.	: 84	7000	01				QPP01
			(/IEAS	URE	MEN	ITS (all m	ieasu	ireme	ents	witho	out cu	Ishior	ר)				
	SEAT	WIDTH SELE	ECTION - r	measured fr	om ou	tside	frame	tube	to out	side fr	ame t	ube (cm)							
	28	30	32	34	36 38		40		42 4		4 46 48		8							
	0	0	0	0	(С	(C	(С	(C	(С	Ċ)	(С		
	SEAT	DEPTH SELE	ECTION -	measured	in cm														-	
	32		36	38	1	0	4	2	4	4		46		1	* not a	vailab	le with	frame	e width	s 34cm or greater
	0	0	0	0	(С	(C	(С		0			* not a	availab	le with	swing	g-away	frame
			Short Fram	ne			M	ediun	n Frai	ne	Lor	ng Fra	ame	1						
														4						
FRO	ONT S	EAT HEIGHT	SELECTIO	ON: in dep	endai						ame v	/ersic	ons							
	Г	Fort	T		00	1			Ē	n cm	40	40		45	40	47	40	40	50	l
			Type (mm)	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	
			ni Version	mm)		0	0	0		0										
	4"		cture (111)		0	0	0	0	0	0										
	4"		ım (123 mm			0	0	0	0	0	0	C C	C C							
			m (143 mm					0	0	0	0	0	0							
	┝──╄		m (168 mm	n) (1)		6	6	6			0	0	0	0	0	0				
			ni Version			0	0	0	0											
Front castor			cture (111 r				0	0	0	0	0									
ca	5"		m (123 mm				0	0	0	0	0	0								
ont			m (143 mm					0	0	0	0	0	0	0						
Ĕ		Aluminiu	m (168 mm	n) (1)								0	0	0	0	0	0			

 Hemi Version

Carbotecture (111 mm)

Aluminium (123 mm) (1)

Aluminium (143 mm) (1)

Aluminium (168 mm) (1)

Aluminium (168 mm) (1)

Hemi version only with SA frame

				·						
Rear wheels	36	37	38	39	40	41	42	43	44	45
22"	0	0	0	0	0		0	0		
24"			0	0		0	0	0	0	0

The rear seat height can only be between 0 and 11cm below the selected front seat height.

(1) compatible with power add on devices

6"

7"

		AT UPHOLSTERY AND CUSHIONS							
Seat slings	5								
LRT020008	0	Seat sling, nylon, tension-, depth adjustable							
.RT020009	0	Seat sling, nylon, adjustable, 1 bag							
.RT020000	0	Without seat sling							
Seat cushio	n, co	ver with zipper, black							
.RT020101		Seat cushion, foam (medium-soft), cover with zipper, black, 3cm	66						
.RT020102		Seat cushion, foam (medium-soft), cover with zipper, black, 5cm	66						
LRT020103		Seat cushion, Latex (very soft), cover with zipper, black, 5cm	66						
.RT020104		Seat cushion, Latex (very soft), cover with zipper, black, 8cm	66						
Seat cushio	n, cli	matic membrane water-resistant, cover with zipper, black							
.RT020105		Seat cushion, foam (medium-soft), climatic membrane water-resistant, zipper, black, 3cm	123						
.RT020106		Seat cushion, foam (medium-soft), climatic membrane water-resistant, zipper, black, 5cm	123						
RT020107		Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 5cm	123						
RT020108		Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 8cm	123						
	n - foi	complete Jay product range see Jay order forms							
AY020002		Jay Basic	55						
AY020003		Jay Soft Combi P	77						
AY020001		Jay Easy Visco	132						
AY020007		JAY Easy Fluid							
AY020004		JAY Lite							
eat access			215						
RT090018	0	Lap belt with buckle, metal							
RT020150		Replacement cover for seat cushion, cover with zipper, black (only with cushion order)	48						
Backrest h Back height s	-								
	-	t range 25-30 30-35 35-40 40-45 g at (cm) O 25 O 30 O 35 O 40							
Back height s	-	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 40 \bigcirc 30 \bigcirc 35 \bigcirc 42.5							
	settin	t range 25-30 30-35 35-40 40-45 g at (cm) 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 27.5 0 32.5 0 42.5 0 30 0 35 0 40 Backrest tube, aluminium 0 45							
Back height s	settin	t range 25-30 30-35 35-40 40-45 g at (cm) 25 0 30 0 35 0 40 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down							
ack height s	settin	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Image: state of the state of							
Back height s RT030001 RT030015	settin	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Backrest tube, aluminium Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)	69						
Back height s RT030001 RT030015	e settin	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded	69						
ack height s RT030001 RT030015	e settin	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU)	69						
ack height s RT030001 RT030015	e settin	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)	69						
RT030001 RT0300015 RT030015	• 0	t range 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium Backrest tube, aluminium Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Push handles	69						
RT030001 RT030001 RT030015 RT030102 RT030201		trange 25-30 30-35 35-40 40-45 g at (cm) 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU)							
RT030001 RT030001 RT030015 RT030102 RT030201 RT030201	• • • • • • • •	trange 25-30 30-35 35-40 40-45 g at (cm) \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest tube, aluminium \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45 Backrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc -8° (82 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 90' EU \bigcirc 4° (94 EU \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 90' (90' EU \bigcirc 4° (94 EU \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 8° (98 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 8° (98 EU) \bigcirc 8° (98 EU) Backrest, angle-adjustable, lock when folded \bigcirc 8° (98 EU) \bigcirc 8° (98 EU) Push handles long \bigcirc 8° (94 EU \bigcirc 8° (98 EU) $ \bigcirc$ 8° (98 EU) <td>129</td>	129						
RT030001 RT030001 RT030015 RT030102 RT030201 RT030203 RT030204	• • • • • • • • •	t range g at (cm) $25-30$ $30-35$ $35-40$ $40-45$ \circ 25 \circ 30 \circ 35 \circ 40 \circ 27.5 \circ 32.5 \circ 37.5 \circ 42.5 \circ 30 \circ 35 \circ 40 \circ 45 Backrest tube, aluminiumBackrest, angle-adjustable, fold-down \circ -12° (78 EU) \circ -8° (82 EU) \circ -4° (86 EU) \circ 0° (90) EU) \circ 4° (94 EU) \circ 8° (98 EU)Backrest, angle-adjustable, lock when folded \circ -12° (78 EU) \circ -8° (82 EU) \circ -4° (86 EU)Backrest, angle-adjustable, lock when folded \circ -12° (78 EU) \circ -8° (82 EU) \circ -4° (86 EU)Backrest, angle-adjustable, lock when folded \circ -12° (78 EU) \circ -8° (82 EU) \circ -4° (86 EU) \circ 0° (90 EU) \circ -8° (82 EU) \circ -4° (86 EU)Backrest, angle-adjustable, lock when folded \circ -12° (78 EU) \circ -8° (82 EU) \circ -4° (86 EU) \circ 0° (90 EU) \circ -8° (94 EU) \circ 8° (98 EU)Push handles longPush handles longPush handles, fold-down(only from back height 30cm; from 35 with angle adj back) </td <td>129 171</td>	129 171						
RT030001 RT030001 RT030015 RT030102 RT030201 RT030203 RT030204 RT030205	• • •	t range g at (cm) $25-30$ $30-35$ $35-40$ $40-45$ \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 45Backrest tube, aluminiumBackrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 8° (93 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Push handlesPush handles longPush handles longPush handles, fold-down(only from back height 30cm; from 35 with angle adj back)Push handles, height-adjustable for Jay backs(only from back height 30cm)Push handles, height-adjustable for Jay backs(only from back height 30cm)	129 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208	settin	t range g at (cm) $25-30$ $30-35$ $35-40$ $40-45$ \bigcirc 25 \bigcirc 30 \bigcirc 35 \bigcirc 40 \bigcirc 27.5 \bigcirc 32.5 \bigcirc 37.5 \bigcirc 42.5 \bigcirc 30 \bigcirc 35 \bigcirc 40 \diamond 45Backrest tube, aluminiumBackrest, angle-adjustable, fold-down \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU) \bigcirc 0° (90) EU) \bigcirc 4° (94 EU) \bigcirc 8° (98 EU)Backrest, angle-adjustable, lock when folded \bigcirc -12° (78 EU) \bigcirc -8° (82 EU) \bigcirc -4° (86 EU)OPash handlesPush handles longConly from back height 30cm; from 35 with angle adj back)Push handles, height-adjustableConly from back height 30cmPush handles, height-adjustable for Jay backsConly from back height 30cmPush ban, height-adjustable for Jay backsConly from back height 30cmPush ban, height-adjustable for Jay backsConly from SW 28cm to 38cm	129 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208	• • •	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 9° (90 EU) 0 8° (98 EU)	129 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208 RT030208	settin	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 6° (98 EU) 0 0° (90) EU) 0 4° (94 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 6° (98 EU) 0 4° (94 EU) 0 8° (98 EU) 0 4° (94 EU) 0	129 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208 RT030208	settin	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 -20° (78 (20 m) 0 -4° (86 EU) 0 -20° (78 (20 m) 0 -4° (86 EU) 0 -20° (90 EU) 0 4° (94 EU)	129 171 171						
Back height s RT030001 RT030015 RT0300102 RT030201 RT030203 RT030204 RT030208 RT030208 RT030200 RT030200 RT030216	settin	trange 25-30 30-35 35-40 40-45 g at (cm) 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest tube, aluminium 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 0° (90 EU) 0 4° (94 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 0° (90 EU) 0 4° (94 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 0° (90 EU) 0 4° (94 EU) 0 8° (98 EU) 0 -12° (78 EU) 0 -4° (86 EU) 0 0° (90 EU) 0 4° (94 EU) 0 8° (98 EU) 0 -12° (78 EU) 0 -4° (86 EU) 0 0 10° (79 EU) 0 4° (96 EU) 0 8° (98 EU) 0 -12° (78 EU) 0 -12° (78 EU)	129 171 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030208 RT030208 RT030208 RT030200 RT030216	settin	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -4° (86 EU) 0 -4° (86 EU) 0 0° (90) EU 0 4° (94 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 0 0° (90) EU 0 4° (94 EU) 0 8° (98 EU) 0 4° (86 EU) 0 8° (98 EU) 0 4° (94 EU) 0 8° (129 171 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208 RT030208 RT030208 RT030217 RT030317	settin	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (94 EU) 0 </td <td>129 171 171 171</td>	129 171 171 171						
RT030001 RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208 RT030208 RT030208 RT030217 RT030317	settin	trange g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 8' (98 EU) 0 4° (94 EU) 0 8° (98 EU) 0 4' (94 EU) 0 8' (98 EU) 0 10' (7m back height 30cm; from 35 with angle adj back) 10' (7m back height 30cm; from 35 with angle adj back) 10' (7m back height 30cm; from 35 with angle adj back) 10' (7m b	69 129 171 171 171 171						
Back height s RT030001 RT030015 RT030015 RT030201 RT030203 RT030204 RT030205 RT030208 RT030200	settin	t range g at (cm) 25-30 30-35 35-40 40-45 0 25 0 30 0 35 0 40 0 27.5 0 32.5 0 37.5 0 42.5 0 30 0 35 0 40 0 45 Backrest tube, aluminium Backrest, angle-adjustable, fold-down 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) Backrest, angle-adjustable, lock when folded 0 -12° (78 EU) 0 -8° (82 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 8° (98 EU) 0 -4° (86 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (80 EU) 0 8° (98 EU) 0 -4° (94 EU) 0 </td <td>129 171 171 171</td>	129 171 171 171						

£

ſ

		JAY	BACKS	plus ACCES	SOF	IES - for o	complete Jay pr	oduct range s	see Jay	order	forms	
JAY 3 Back -	Shal	low C	ontour									
Mid Thoracic:						JAY030010	Medium 34cm		JAY03	80033	Tall 38cm	506
Upper Thorac	ic:		JAY030012	Short 42cm		JAY030019	Medium 46cm		JAY03	80025	Tall 50cm	572
Shoulder Heig	ght:		JAY030015	Short 53cm		JAY030022	Medium 57cm		JAY03	80028	Tall 61cm	572
JAY 3 Back -	Mid	Conto	ur									<u>.</u>
Mid Thoracic:						JAY030011	Medium 34cm		JAY03	80018	Tall 38cm	506
Upper Thorac	ic:		JAY030013	Short 42cm		JAY030020	Medium 46cm		JAY03	80026	Tall 50cm	572
Shoulder Heig	ght:		JAY030016	Short 53cm		JAY030023	Medium 57cm		JAY03	80029	Tall 61cm	572
JAY 3 Back -	Deer	o Cont	our									
Upper Thorac				Short 42cm		JAY030021	Medium 46cm		JAY03	80027	Tall 50cm	627
Shoulder Heig				Short 53cm			Medium 57cm					627
JA Y030004				ack Headrest (J							(only with JAY 3 backs)	255
JA Y030006			<i>,</i>	leadrest (J3EUF			,				(only with JAY 3 backs)	138
	on Ba			ontour (with fix								100
Low Thoracic				Short - 17cm		,	Tall - 24cm					460
Mid Thoracic:							Tall - 38cm					
			JA 1000003	Short - 30cm	Ц	JA 1000004	i ali - Jouili					460
JAY Zip Bac	`		14.2000000	SW/ 00								
M (20 cm)				SW 28cm								523
M (20 cm)				SW 30-34cm								534
T (25cm)				SW 28cm								539
T (25cm)				SW 30-34cm								550
X (30cm)				SW 28cm								561
X (30cm)				SW 30-34cm								572
		ARN	IREST A	ND SIDEGU		S						
		Armr	est				(choo	ose only one optio	n, not in c	ombinat	ion with sideguards; only with 0° and 1° camber)	1
LRT040050			• •	• •			ad short (25cm)					146
LRT040051		0	Single pos	st height adjusta	ble ar	mrest Armp	bad long (36cm)					146
LRT040052	0	Single	e-post side	eguard, armpad	(33cm	n), height-a	djustable, remove)			(Not with abducted frame and COG 83)	
		Sideg	juards								(not in combination with armrests)	
LRT040103	0	Alumi	nium side	guard, fender, w	vet we	atherproted	ction (in frame co	our) (1)			(available with safari brake)	
LRT040107	0	Comp	osite side	guard, removab	le (bla	ack)					(not with safari brake)	
LRT040102		Alumi	nium side	guard, wet weat	herpro	otection (in	frame colour) (1)				(not with safari brake)	161
LRT040055		Armp	ad, height	-adjustable, sho	rt						(not with safari brake)	161
LRT040104		Carbo	on fibre sic	leguard, fender,	wet v	eatherprot	ection (black) (1)				(not with safari brake)	308
		TRA	YS									
LRT090111		Tray,	wood, ele	vated frame, pu	sh-fit,	SW 22 - 36	Scm				only with LRT040055	14(
LRT090112		Tray,	plastic, sv	ving-away, left-n	nount						(only with height adj. armrests with pad)	14(
LRT090113		Tray,	plastic, sw	ving-away, right-	moun	t					(only with height adj. armrests with pad)	14(
												•
		FRA	ME									
LRT010010	0			(integrated footr	est)							
LRT010011				(integrated footr								
LRT010023						oducted (2	5cm on each side	5)			(not for SW 48cm, Max User Weight 100kg)	
LRT010025				-			on each side), act				(from SW 34cm)	146
LRT010015				ovable footrest)	55t), II		ouon siue), dol				(not for SD 32/34cm)	140
LRT090100				,	ation						(ווט גע	
_111030100	•		JWII DIACK	ets for transport	auUN							
		051			· · · · ·		(1			
00007					,UG)	measured	from front of bac	k post; choose	e only or	ie opti	on	
COG23			e of gravit	•								
	0	Centr	e of gravit	•								
COG43 COG63	0	Centr	e of gravit	y 6.3cm								

			£
		FRAME ACCESSORIES	
LRT010500		Wheelbase extension for add-on bike (not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)	216
LRT090010		Transit wheels (not with crutch holder, tip assist and anti tip)	194
		Tip assist (step tube) & Crutch holder	
LRT090001		Tip assist, left LRT090002	28
LRT090003		Tip assist, pair (choose either tip assist or anti- tip tubes, not both)	79
LRT090009		Crutch holder, loop (only in combination with tip assist)	110
		Anti-tip tubes, swing-away	
LRT090036	0	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair (not with tip assist)	
LRT090004		Anti-tip tubes, swing-away, left LRT090005	87
LRT090006		Anti-tip tubes, swing-away, pair (choose either tip assist or anti- tip tubes, not both)	176
		PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frames	
LRT090211		without ATTITUDE order (docking pins assembled)	97
LRT090212	0	with ATTITUDE order (docking pins assembled; ATTITUDE order separatley)	
-			
		HANGERS & FOOTPLATES	
		Aluminium hanger	
LRT050002	0	Hanger angle 70°	
LRT050001	0	Hanger angle 80°	
LRT050041	0	Hanger angle 90° (not with 6" & 7")	
LRT050006	0	Hanger, aluminium, swing-away, LH LRT050007 O Hanger, aluminium, swing-away, RH	
pick both	0	Hanger, aluminium, swing-away, pair	
		Composite hanger	
LRT050002	0	Hanger angle 70°	
LRT050001	0	Hanger angle 80°	
LRT050003	0	Hanger, composite, swing-away, LH LRT050004 O Hanger, composite, swing-away, RH	
pick both	0	Hanger, composite, swing-away, pair	
		Elevating Legrest (ELR) (not with footboards, platform; only SA frame)	
LRT050009		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	127
LRT050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	127
pick both		Hanger, aluminium, flip-up (0° - 90°), swing-away, pair (1)	255
		Footboard (when SA front selected)	
LRT050020	٠	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black (2/5)	
LRT050050		Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black (6)	110
LRT050102		Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	146
		LRT050126 🛛 Swing-away mechanism for platform footboard (from LLL 34cm)	102
		LRT050062 DLocking system, platform footplate, aluminium	54
LRT050131	0	Footboard, platform, lightweight, composite, angle & depth-adjustable flip up (sideways), calf strap (2)	
LRT050132		Footboard, platform, lightweight, carbon, angle & depth-adjustable flip up (sideways), calf strap (7)	305
LRT050127		Adjustable side protection, to create a side-stop on the footboard	19
		Footboard (only with fixed front frame)	
LRT050025	0	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black (3)	
LRT050056		Footboard, platform, lightweight, aluminium, angle and depth-adjustable, calf strap, black (3)	150
LRT050026		Footboard, platform, lightweight, carbon fibre, angle and depth-adjustable, calf strap, black (3)	305
LRT050127		Adjustable side protection, to create a side-stop on the footboard	19
		LOWER LEG LENGTH (LLL) - LLL has to be 2.5cm lower than front seat height; measurements in cm	
		O 22 O 23 O 24 O 25 O 26 O 27 O 28 O 29 O 30	
		O 31 O 32 O 33 O 34 O 35 O 36 O 37 O 38 O 39	
		O 40 O 41 O 42 O 43 O 44 O 45 O 46 O 47	
		34 (SW30 with abduction) with divided footboard / from SW32 (SW28 with abduction) with platform footboard	
		ion with footboard platform; not with SW 28-36cm (2) from LLL 30cm	
		with FF frame 85°/75° from SW 30cm (4) not with SA frame	
		th inset from SW 40; with abduction from SW 32cm (6) with SA frame and FF frame 85°/75° from SW 30cm	
(7) trom SW	32cm;	with inset from SW 36cm	

_RT080041 _RT080013	0	Castor fork, Aluminium, Black LRT080042 O Colour Cast. Fork Silver	
		LR1080042 Colour Cast. Fork Silver	
		LRT080043 ^O Colour Cast. Fork Orange	
DT223	0	Castor fork, Carbotecture ® (only 111 mm)	
DTagaiai		Black O Orange O Silver O Red O Blue	
LRT080101		Expansion kit, designed for hemiplegic users (not with 7" castors, Carbotecture fork; SA frame only)	11
		CASTOR (compare with your choice on the first page)	
LRT080301	0	Castor, solid (hard), rim: composite	
LRT080302	0	Castor, solid (soft), rim: composite (only for 5" and 6")	
LRT080305	0	Castor, pneumatic, rim: composite (only for 4" and 5")	
LRT080303		Castor, solid (hard), light-up, rim: composite (only for 4" and 5")	64
LRT080304		Castor, solid (hard), rim: aluminium (only for 4" and 5")	76
LRT080306		Castor, solid (soft), rim: aluminium, silver (only for 4" and 5")	76
		Colour, rim: LRT080311 O Black LRT080315 O Blue	
		LRT080313 O Orange LRT080314 O Red	
		REAR WHEELS (compare with your choice on the first page; choose only one wheel type)	
LRT070001	0	Rear wheel, Universal, 36 spokes, cross-wise spokes	
LRT070002	0	Rear wheel, Design, 36 spokes, straight spokes (only 24")	
_RT070003	0	Rear wheel, Lightweight, 24 spokes, straight spokes	
LRT070004		Rear wheel, Proton, 24 spokes, straight spokes (Max User Weight 100kg)	46
LRT070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (24" only)	43
LRT070008		Rear wheel, drum brakes, 36 cross-wise spokes (2) (not with COG 23 mm, only with height adj push handles)	35
LRT070401		Rear wheel, one-hand operation, 36 spokes, cross-spoked, left actuation (not with camber; axle plate silver)	65
LRT070402		Rear wheel, one-hand operation,36 spokes,cross-spoked,right actuation (not with camber; axle plate silver)	65
LRT070000	0	Without rear wheel	
		TYRES (choose only one tyre type)	
LRT070107	•	Tyre, pneumatic, slick, Schwalbe One (only 24")	
LRT070101		Tyre, pneumatic, fine profile, Schwalbe Right Run	
LRT070102		Tyre, puncture proof, tread (not with lightweight wheels)	
LRT070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (Only 24")	9
LRT070104		Tyre, pneumatic, nead, Schwalbe Downlown Two Ghp (000 217) Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution (001 247)	9
		HANDRIM	
_RT070204	0	Handrims, stainless steel, silver	
LRT070202		Handrims, aluminium, anodised, silver	
LRT070201	0	Handrims, aluminium, powder-coated, clear	
LRT070203		Handrims, aluminium, powder-coated, coloured	6
LRT070207		Handrims, Supergrip ® (22" only with universal and drum brake wheels)	22
LRT070208		Handrims, Maxgrepp ®	22
LRT070208		Handrims, Maxgrepp (Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	17
LRT070212	0	Without handrims	17
	0	Without Handhins	
		HAND RIM MOUNTING	
.RT070317	0		
_RT070317		Handrim mount, narrow (17 mm) (not with Maxgrepp) Handrim mount, wide (27 mm) (not with Maxgrepp)	
LRT070327			
	0	Handrim mount, super narrow (7 mm) (1) (Only with 24" stainless steel)	
		WHEEL CAMPED	
DTOZOCOC	<u>^</u>	WHEEL CAMBER (choose only one option)	
LRT070600		Camber 0° (no camber brackets provided)	
LRT070601	0	Camber 1° LRT070603 O Camber 3° LRT070605 O Camber 5°	

										£
		SPOKE GUAR	DS						(not with spinergy wheels)
_RT070831		Transparent								122
LRT070826		Rotation	LRTC	70815		Graphik	LRT070804		Bibbo	122
LRT070810		Fantasy	LRTO	70813		Glaktica	LRT070805		Cheese	122
LRT070823		Princess	LRTO	70808		Dancing Bear	LRT070818		Jungle Fever	122
LRT070816		Happy Lions	LRTO	70832		Water World	LRT070825		Randolf	122
LRT070819		Monkeys	LRTO	70821		Pirates	LRT070811		Feather	122
LRT070820		Oriental	LRTC	70824		Racing	LRT070809		Dirt Race	122
LRT070829		Superhero	LRT0	70814		Graffiti	LRT070806		Chrome	122
LRT070817		Hot Wheels	LRT0	70802		Basketball	LRT070803		Basketball 2	12
LRT070822		Pool	LRTC	70812		Flying Water	LRT070828		Space	122
LRT070827		Silk	LRTC	70801		Abstract	LRT070807		Creative	12
LRT070830		Tiger	LRT0	70833		Zebra				12
		WHEEL LOCK	S						(choose only one option)
LRT060001	0	Standard brake				(in combinatio	on with SA frame shor	t and	24" wheel -> only with COG 2.3)
LRT060003	0	Compact brake							(not with abduction frame)
LRT060013	0	Push to lock brake	, integrated in sidegu	iard, S	afari					
LRT060002	0	Knee-lever brake								
LRT060010		Brake lever e	xtension, knee-lever	brake,	fold	-down				38
		ACCESSORIES	6							
_RT090000	٠	Tool kit								
		Air pump								15
LRT090025		Air pump High pressure pum	ıp (0 - 14 bar)							_
LRT090025 LRT090024			np (0 - 14 bar)							73
LRT090025 LRT090024 LRT090030		High pressure pum								73
LRT090025 LRT090024 LRT090030 LRT090019 LRT090026		High pressure pum Back pack	ket for bags							15 73 59 59 44
LRT090025 LRT090024 LRT090030 LRT090019		High pressure pum Back pack Caddy, flip-up brac Mobile phone pock	ket for bags et							73 59 59
LRT090025 LRT090024 LRT090030 LRT090019		High pressure pum Back pack Caddy, flip-up brac Mobile phone pock	ket for bags et Please consult our o			ogue to review your			o Handrim Hub/rin	73 59 59 44
LRT090025 LRT090024 LRT090030 LRT090019		High pressure pur Back pack Caddy, flip-up brac Mobile phone pock COLOURS ⁽¹⁾ Frame Han	ket for bags et Please consult our o		cata Fork £58			Fram	e Handrim Hub/rin £60 £171	73 59 59 44

	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork
		£60	£171	£58			£60	£171	£58
01 White RAL 9010	0				26 Silver Texture	0			
02 Brilliant Silver	0				27 Graphitemetallic	0			
03 Silver Matt	0				28 Platinmetallic	0			
04 Silver	0				29 Black	0			
06 Sun Yellow	0				31 Matt Black	0			
07 Brilliant Lime	0				32 Signal White	0			
08 Matt Lime	0				33 Pink	0			
14 Blue	0				34 Dark Chocolate	0			
15 Brilliant Marine	0				35 Skyblue	0			
16 Matt Marine	0				36 Cyan-Metallic	0			
19 Brilliant Purple	0				37 Marsred (Orange)	0			
20 Matt Purple	0				39 Cappuccino	0			
21 Red Ruby	0				40 Kiwi	0			
22 Brilliant Red	0				41 Flamingo-Glitter	0			
23 Matt Red	0				42 Matt-Anthracite	0			
24 Tutti Frutti Orange	0				43 Azuri Blue	0			
(1) Handrim: only with	handrim c	olour powder coa	ated; Hub/rim: on	ly for univers	al wheel; Fork: not with Carbote	cture			

]	£
		STICKER COLOURS	
LRT100550	٠	Sticker colour - black	
LRT100551	0	Sticker colour - silver	
		ANODIZED COLOUR AXLE PLATE (not in combination with one hand operation)	
LRT100580	0	Axle plate anodized, black	
LRT100581	0	Axle plate anodized, silver	
LRT100582	0	Axle plate anodized, orange	
		24 " LIGHT WEIGHT WHEEL COLOURS	
	٠	Black	
LRT100336		Anodized, orange	91
LRT100337		Anodized, blue	91
LRT100338		Anodized, red	91
Comment	s for	special build - please apply for a quote; lead time conditions my change.	
Quickie	ife	RT - Basic Price	
		RT - Basic Price £1,694	
Option pric	e		
Option pric Packaging	e and		
Option pric Packaging Exclusive [\]	e and		
Quickie I Option pric Packaging Exclusive V VAT. Total Price	e and /AT		

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):	
a) For the user:	Allow space between sideguard and hip on each side of the chair
	(approx. 10 - 20 mm altogether)
b) On the wheelchair:	From outside frame tube to outside frame tube.
Seat depth (SD):	
a) For the user:	When sitting upright: leave space for 2 - 3 fingers between
	front edge of the seat upholstery and back of knee.
	(approx. 30 - 60 mm). Care must be taken with adj. upholstery.
b) On the wheelchair:	From back tube to front of seat upholstery.
Front seat height:	
a) For the user:	When sitting with 90° kneeangle:
	From back of knee to bottom of shoe sole.
b) On the wheeleheir	From front of seat tube to the ground.
b) On the wheelchair:	
	(min. 30 mm longer than user measurement) Remember to include the cushion height.
Rear seat height:	
b) On the wheelchair:	From back of seat tube to the ground.
2) 011 110 11100101011	Note: Max. seat height difference rear to front is 130 mm
Back height:	
a) For the user:	From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
b) On the wheelchair:	From back of seat tube to upper edge of backrest upholstery.
	Note: The user's ability to sit upright has a major influence on the
	back height and it can therefore differ considerably
Pook onglou	Important: The back beight depends on the degree of dischility
Back angle:	Important: The back height depends on the degree of disability. 0° is the apple 90° to the ground. Negative apples are < 90°
	0° is the angle 90° to the ground. Negative angles are < 90°
	and positive angles are > 90°.

Technical Data Overview - Life RT:

Max. overall height:	950 mm		
Max. overall length:	1075 mm		
Max. turning circle:	700 mm		
Max. safe slope:	10°		
Wheelchair weight:	from 10 kg		
Dismantled weight:	from 8 kg		
Weight of heaviest part:	2,1 kg		
Max. overall width:	Camber	22" rear wheel	24" rear wheel
	For 0° camber:	SW + 200 mm	SW + 200 mm
	For 3° camber:	SW + 230 mm	SW + 240 mm
	For 6° camber:	SW + 250 mm	SW + 260 mm

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle For transport without a user the chair must be safe clamped in the vehicle

All changes in the configuration might change the seat heights. Manufacturing tolerances of +/- 10 mm

BACKREST



Backrest tube, aluminium Austauschen Life T



Backrest, angle adjustable



Push handles long



Push handles, fold-down



Push handles, height-adjustable



Without push handles,



Push bar, heightadjustable, width and angleadjustable



Headrest, height, depth and angle adjustable



EXO backrest sling



EXO PRO backrest sling

JAY BACKS





80 mm

Jay 3 Back Shallow Contour

Jay 3 Back Mid Contour

Jay 3 Back Deep

150 mm



Jay 3 Carbon Back Shallow Contour



Jay Zip Back

ARMREST AND SIDEGUARDS



Single post height adjustable



Single-post sideguard, armpad, height-adjustable, remove



Composite sideguard, removable (black)



Aluminium sideguard, wet weatherprotection (in frame colour)



Aluminium sideguard, fender, wet weatherprotection (in frame colour)



Carbon fibre sideguard, fender, wet weatherprotection (black)

FRAME



Frame FF 105 ° (integrated footrest)



Frame FF 95 ° (integrated footrest)





Frame FF 95 ° (integrated footrest), 20 mm inset, active



Frame SA (removable footrest)

FRAME ACCESSORIES



Wheelbase extension for

add-on bike



Transit wheels



Tip assist



Crutch holder, loop



Anti-tip tubes, swing-away, left

HANGERS AND FOOTPLATES



Aluminium hanger, 90°



Composite hanger 110°/100°



Elevating legrest (ELR)



Footboard, divided, composite, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle and depthadjustable, calf strap, black



Footboard, divided, aluminium, angleadjustable, flip-up (sideways), heel loop, black



Footboard, angle and depth adjustable;flip up, aluminium with locking system



Footboard, platform, aluminium, angleadjustable, flip-up (sideways), heel loop, black



Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up (sideways), calf strap



WHEEL LOCKS



Standard brake



Knee-lever brake



Compact brake



Push to lock brake, integrated in sideguard, Safari



Push to lock brake, onearm, right actuation



Brake lever extension, knee-lever brake, folddown

ACCESSORIES



Caddy, flip-up bracket for bags

U

Back pack



High pressure pump



Air pump



Mobile phone pocket

ANODIZED COLOUR AXLE PLATE





Axle plate anodized, orange

Axle plate anodized, silver



24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red