



- · ·) 						
eliver to:						oice to:					
Name:					Nai						
Street:		Deet			Stre			Deet			
own: -Mail:		Post	al code:		Tov E-N			Posta	al code:		
iviaii. ГеІ:		Fax:			Tel			Fax:			
ei.		гах.			Tei	•		гах.			
Order date:					Ма	ked for:					
Purchase order:											
Number require	d:				Sur	rise order no): 				
□ Order	□ Calcu	ulation	□ Built	4 me	0 = N	o cost option	•	= Standard	i 🗆	= Cost opti	n
Part no:	05300001					Max. use	r weight:			140 kg	1)
PQR01				\		USER WI	EIGHT				kç
			乙烷化	4		Mandatory info	ormation to ensu	re correct confiç	guration		
ϵ				1		Ras	e Price	□ £1,5	500		
			0				arge will be added	•			
		CLIE	NIT MEAC	LIDEMEN	TC /all mag						
		CLIE	INI WEAS	UKEWEN	15 (all mea	asurements	without cus	snion)			
SEA	T WIDTH S	EL ECTION	- maggurad	from outside	frame tuhe	to outside fran	na tuha				
OLA	ii wibiii o	LLLOTION	- Illeasureu	nom outside	marile tube	to outside irai	ne tube				
30 cm	32 cm	34 cm	36 cm	38 cm	40 cm	42 cm	44 cm	46 cm	48 cm	50 cm	
0	0	0	0	0	0	0	0	0	0	0	
							Includes opt	ion NSW010	602:		
							User weight	140 kg			
SEA	T DEPTH S	ELECTION	l								
SEA	T DEPTH S	ELECTION	l								

(1) Max user weight 140kg only with option NSW010602 or with SW 44-50cm; Standard maximum user weight: 120kg.

•	= Standard	O = No cost option	= Cost option

FRONT SEAT HEIGHT SELECTION: independent of front castors, forks and frame versions

Front seat height in cm

	1		_			it se																				
		Frame	Fork (length)	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53	54	55	56	57
			111 mm								0	0	0	0	0											
			123 mm* (1)										0	0	0	0										
		Std	138 mm (1)											0	0	0	0									
	3"		174 mm (1)														0	0	0	0	0					
	٦		One Arm (1)								0	0	0	0	0											
			111 mm* (1)	0	0	0																				
		Hemi	138 mm* (1)		0	0	0	0																		
			174 mm* (1)					0	0	0	0	0														
			111 mm									0	0	0	0	0										
			123 mm* (1)											0	0	0	0									
		Std	138 mm (1)												0	0	0	0	0							
	4"		174 mm (1)														0	0	0	0	0	0				
	7		One Arm (1)									0	0	0	0	0										
			111 mm* (1)	0	0	0	0																			
Front castor		Hemi	138 mm* (1)			0	0	0	0	0																
			174 mm* (1)					0	0	0	0	0	0													
			111 mm												0	0	0	0								
cas			123 mm* (1)												0	0	0	0								
ž		Std	138 mm (1)													0	0	0	0	0						
٦.	5"		174 mm (1)															0	0		0					
_	٦		One Arm (1)												0	0	0	0								
			111 mm* (1)			0	0	0	0																	
		Hemi	138 mm* (1)				0	0	0	0	0															
			174 mm* (1)						0	0	0	0	0	0												
			111 mm														0	0								
			123 mm* (1)														0	0	0							
		Std	138 mm (1)														0	0	0	0	0					
	6"		174 mm (1)																0	0	0	0	0	0		
	١		One Arm (1)														0	0								
			111 mm* (1)					0	0																	
		Hemi	138 mm* (1)					0	0	0	0	0														
			174 mm* (1)							0	0	0	0	0	0											
			123 mm* (1)																0	0						
			138 mm (1)																	0	0	0				
			174 mm (1)																		0	0	0	0	0	0
		Hemi	174 mm* (1)									0	0	0	0	0	0									
-	•		* only ov																							

^{*} only available in black

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height in cm

Rear wheels	33	34	35	36	37	38	39	40	41	42	43	44	45	46	47	48	49	50	51	52	53
22"	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0					
24"				0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
25"					0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
26"						0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0

The rear seat height can only be between 0 cm and 11 cm below the selected front seat height.

⁽¹⁾ Compatible with power add on devices. For 123mm fork, please also choose option NSW090093 "Fork for power add ons".

	•	= Standard O = No cost option \square = Cost option		£
		SEAT		
		Seat sling		
NSW020002	0			
NSW020003			(only from SW 38 cm)	46
NSW020004			(only from SW 34 cm)	105
NSW020000	0		(2)	
		Thin but both billing		
Seat cushi	ion. co	cover with zipper, black		
Foam (med		• •		66
Latex (very		,		66
Latox (voly	0011)	9 111101111000.		
Seat cushi	ion. cl	climatic membrane water-resistant, cover with zipper, black		
Foam (med				123
Latex (very		•		123
Zatox (10.)	00.1,	9 111011110001 11011111111 = 0 0111		1-4
NSW020150		Replacement cover for seat cushion, cover with zipper, black		44
		- Replacement cover for seat easilion, cover with zipper, black		
		Seat accessories		
NSW020050				28
NSW090018				40
		= Lap box min basins, motar		.0
		JAY Cushions - for complete product range see JAY order forms		
JA Y020002		· · · •		55
JAY020003				77
JAY020001				132
JAY020001 JAY020004				215
JAY020007		5 = N		308
JA 1020001		JAT Easy Fluid, Guived base		300
		BACKREST		
		27.01.11.201		
Back heigh	ht ran	inge (cm) 25 - 30 30 - 35 35 - 40 40 - 45	45 - 47.5	
_		eight factory setting.		
		· · · · · · · · · · · · · · · · · · ·	0 45	
neigni adju	istmen	· · · · · · · · · · · · · · · · · · ·	O 47.5	
		O 30 O 35 O 40 O 45		
NSW030010	0	D Backrest, fixed (90°)	-	
NSW030010	0			69
			(75% to 402%)	09
NSW030012	0	, 3,	(75° to 103°)	69
NSW030031		□ Backrest, fold-down (to the front) (1)		09
		Push handles		
NSW030200	0			
NSW030201	0			
NSW030201		, ,	(available from back height 32,5 cm)	129
NSW030205		,	(available from back height 30 cm)	171
			,	
NSW030204		Push handles, height-adjustable	(available from back height 30 cm)	171
		Poolwoot unhalotory		
NCMO20246		Backrest upholstery EXO Backrest sling, synthetic fibre, padded, adjustable, 1 accessory bag, black (Evo Exo Ve	ornion)	1
NSW030316	0		'	
NCM/000047		Colour, binding tape: O Black O Orange O Silver	O Red O Blue	147
NSW030317			,	147
1/01//000000		Colour, binding tape: O Black O Orange O Silver	O Red O Blue	
NSW030300	0	Without backrest upholstery		
		Accessaries for healthout		
NOM/SSS :::		Accessories for backrest		4.44
NSW030402		<u> </u>	(only available from SW 36- 48 cm)	141
NSW030401				86
NSW030412		☐ Headrest, medium, height, depth and angle-adjustable		203
NSW030410		☐ Headrest, tall, height, depth and angle-adjustable, 20x11 cm		203

(1) Not with height adjustable push handles, JAY backs, stabilising bar or headrest. Please note

folding-Matrix on next page. If push handles long are chosen, only back heights 30 cm and above are available;

if push handles fold-down are chosen, only back heights 35 cm and above are available

	•	= Standard	£							
		JAY J3 BACKS								
		hallow Contour								
Mid Thorac	-	□ JAY030010 Medium - 34 cm □ JAY030033 Tall - 38 cm	506							
Upper Thor		□ JAY030012 Short - 42 cm □ JAY030019 Medium - 46 cm □ JAY030025 Tall - 50 cm	572							
Shoulder Ho			572							
		lid Contour								
Mid Thoraci		☐ JAY030011 Medium - 34 cm ☐ JAY030018 Tall - 38 cm	506							
Upper Thor		□ JAY030013 Short - 42 cm □ JAY030020 Medium - 46 cm □ JAY030026 Tall - 50 cm	572							
Shoulder He		□ JAY030016 Short - 53 cm □ JAY030023 Medium - 57 cm □ JAY030029 Tall - 61 cm	572							
		Back - Shallow Contour	005							
Lower Thor		□ JAY060001 Short - 17 cm □ JAY060002 Tall - 24 cm	605							
Mid Thorati	C:	□ JAY060003 Short - 30 cm □ JAY060004 Tall - 38 cm	605							
Accessorie	s for	JAY J3 backs								
JAY030004		JAY Flip Back Headrest (J3EUHDFH & J3EUHDLSP) (only with JAY J3 backs)	255							
JAY030006		JAY Std. Headrest (J3EUHDXH & J3EUHDLSP) (only with JAY J3 backs)	138							
JAY090058		JAY Accessory bag (only with JAY J3 Carbon backs)	50							
		(any man are commented by								
		ARMREST AND SIDEGUARDS								
		Armrest								
NSW040052	0	Single-post sideguard, armpad (33 cm), depth adjustable, height-adjustable, removable (1)								
NSW040117	0	Tubular armrest, Aluminium, swing away (sideways), padded, removable (only with backrest, angle adj.)								
NSW040050		Single-post sideguard, armpad (25 cm), height-adjustable, removable (1)	170							
NSW040051		Single-post sideguard, armpad (36 cm), height-adjustable, removable (1)								
NSW040005		Desk sideguard, flip-up, removable	161							
NSW040001		Desk sideguard, armpad (25 cm), fixed, flip-up, removable	161							
NSW040002		Desk sideguard, armpad (25 cm), height-adjustable, flip-up, removable	161							
NSW040003		Desk sideguard, armpad (31 cm), fixed, flip-up, removable	161							
NSW040004		Desk sideguard, armpad (31 cm), height-adjustable, flip-up, removable	161							
		Accessories and options for desk sideguards								
NSW040020		Release assistance for tetraplegics (only with desk sideguard)	30							
NSW090012		Tray, swing-away (to the side), SW 34 - 50 cm, left-mount (only with desk sideguard)	140							
NSW090013		Tray, swing-away (to the side), SW 34 - 50 cm, right-mount (only with desk sideguard)	140							
NSW090011		Tray, push-fit, SW 38 - 48 cm (only with desk sideguard)	140							
		Sideguards								
NSW040107	0	Sideguard, composite, removable, 21 cm high (31 cm long), black								
NSW040102		Sideguard, aluminium, cold weather protection (in frame colour)	225							
NSW040103		Sideguard, aluminium, fender, cold weather protection (in frame colour)	242							
NSW040104		Sideguard, carbon fibre, fender, cold weather protection (black)	309							
		HANCED								
NSW050001	0	HANGER Hanger angle 80° (Not available with Hemi Frame NSW010024)								
NSW050001	0	Hanger angle 70° (2)								
14344030002		Tranger angle 70 (£)								
		Hanger, aluminium, swing-away								
NSW050006	0	Hanger, aluminium, swing-away, LH								
NSW050007	0	Hanger, aluminium, swing-away, RH								
NSW050008	0	Hanger, aluminium, swing-away, pair								
		Hanger, ELR (aluminium, flip-up (0-90°)), swing-away								
		Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	198							
NSW050009		rianger, alammam, inp up (o oo), swing away, Err								
NSW050009 NSW050010		Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	198							

⁽¹⁾ Only with COG Adapter Standard

⁽²⁾ In combination with NSW010024 "Frame, Hemi" only 70° hangers available

	•	= Standard O = No cost option	£
		FOOTPLATES AND FOOTBOARDS	
NSW050104	0	Footplates, divided, composite, flip-up, heel loop, black (from SW 38 cm)	
NSW050020	0	Footplates, divided, composite, angle-adjustable, flip-up, heel loop, black (from SW 38 cm)	
NSW050022		Footplates, divided, aluminium, angle-adjustable, flip-up, heel loop, frame colour	144
NSW050051		Footplates, divided, aluminium, angle-adjustable, flip-up, high-mount, heel loop, frame colour (1)	144
NSW050023		Footboard, platform, aluminium, angle-adjustable, flip-up, heel loop, frame colour	147
NSW050126		O Swing-away mechanism for platform footboard	
NSW050059		Footboard, platform, Performance, aluminium, angle-adjustable, flip-up, calf strap (from SW 32 cm)	222
NSW050131		Footboard, platform, lightweight, plastic, angle & depth-adjustable flip up, calf strap, black	144
NSW050132		Footboard, platform, lightweight, carbon fibre, angle & depth-adjustable, flip up, calf strap, black (1)	305
		Accessories for footboards	
NSW050127		Foot positioning plate (2)	19
		LOWED LECTENCIA (LLL)	
		LOWER LEG LENGTH (LLL) (LLL has to be 2,5 cm less than front seat height; measurements in cm)	
	0	22	
	0		
	LLL DE	elow approximately 32cm require high-mount footboards- depends on configuration, please check configurator for details	
NSW010015	0	FRAME VERSIONS Standard swing away frame	
NSW010015 NSW010602	0	Standard swing away frame Reinforced heavy duty frame for max. user weight 140 kg (Sizes 32-42 only. HD option standard on all other sizes)	
NSW010602 NSW010024	0	Low seat frame option (Hemi) (sizes 32-42 only. HD option standard on all other sizes) (compare with your choice on the first page)	
1011010024	<u> </u>	EMPULSE F55 BUNDLING	
EM0000404			
EMO000101	0	With F55 order, not mounted to the wheelchair (Please use separate OF to order the F55.)	
EMO000102	0	With F55 order, mounted to the wheelchair (Please use separate OF to order the F55.)	
		CENTRE OF GRAVITY (COG) (2 cm= very passive; 12 cm= very active)	
NSW070703		Adapter standard	
		0 9 0 10 0 11 0 12	
NSW070701		Adapter lightweight	
		O 12	
		FRAME ACCESCORIES	
NSW090016		FRAME ACCESSORIES (choose either tip assist or anti- tip tube per side)	67
NSW090016		Frame protection, black Transportation brackets - Crash test option	Std.
NSW090100		Transportation brackets - Crash test option Transit wheels (not in combination with anti-tip tubes or tip assist)	194
14344090010		Transit wheels (not in combination with anti-up tubes of up assist)	134
		Anti-tip tubes, swing-away	
NSW090004		Left NSW090005 Right	87
NSW090006		Pair (no additional tip assist possible)	176
7707700000		Tall (170 datahonar up doolet poolisio)	
		Tip assist	
NSW090001		Left NSW090002 Right	28
NSW090003		Tip assist, pair (no additional anti-tip tube possible)	54
NSW090009		Crutch holder, loop (only in combination with tip assist)	67
		(any account of the country of the c	2.5
		FORKS (compare with your choice on the first page)	
NSW080013	•	Castor fork, Carbotecture ®, 111mm O Black (only for 111mm and 123mm forks)	
		Colour: Silver Orange Red (3) Blue (3)	46
NSW080029	0	Castor fork, Aluminium O Black (only for 123mm, 138mm and 174mm forks)	
	-	Colour: Silver Orange	46
NSW080008		Castor fork, aluminium, one-arm	168
		Colour: □ Silver □ Orange □ Red □ Blue	46
		STANDARD CASTORS (compare with your choice on the first page)	
NSW080301	0	Castor, solid (hard), rim: composite, black	
NSW080302	0	Castor, solid (soft), rim: composite, black (only 5" & 6")	
NSW080303		Castor, solid (hard), light-up, rim: composite, black (only in 3", 4" and 5")	67
NSW080304		Castor, solid (hard), rim: aluminium Colour, rim: Silver (only 4" & 5")	79
NSW080305	0	Castor, pneumatic, rim: composite, black (only 7")	
NSW080306		Castor, solid (soft), rim: aluminium ☐ Silver (only 4" & 5")	79
		Colour, rim: ☐ Black ☐ Orange ☐ Red ☐ Blue	46
(1)	From	SW 34 cm available (3) Only with 111x45mm Carbotecture fork	

- (2) Only for footboard, platform lightweight or Performance
- (3) Only available in combination with castor, soft (NSW080302 or NSW08036)

	•	= Standard O = No cost option □ = Cost option	£								
		REAR WHEELS (compare with your choice on the first page)									
NSW070000	0	Without rear wheel									
NSW070001	0	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes (not in 25")									
NSW070002	0	Rear wheel, Design, 36 spokes (silver), straight spokes (only 24" and 26")									
NSW070003	0	Rear wheel, Lightweight, 24 spokes (silver), straight spokes (not in 26"; see colour options on last page)									
NSW070004		Rear wheel, Proton, 24 spokes (black), straight spokes (not in 26"; user weight limit 100kg)	483								
NSW070005		Rear wheel, Spinergy, 18 spokes (black), straight spokes; hub: silver (not in 22")	437								
NSW070006		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub: silver (only 24" & 25")	674								
NSW070007		Rear wheel, Spinergy, 12 spokes (black), straight spokes, hub black (only 24" & 25")	674								
NSW070008		Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes (1) (only 22" & 24")	353								
NSW070009		Rear wheel, Mountain bike, 36 spokes (silver), straight spokes (only 24")	297								
NSW070010		Mountain bike wheel, replacement kit incl. tyre (extra coarse profile) (only 24")	453								
		Axle									
NSW070150		Quick-release axle	100								
NSW070151		Quick-release axle, designed for quads (2)	102								
		TYRES									
NSW070102	0	Tyre, puncture proof, tread (not in 26")									
NSW070102		Tyre, pneumatic, slick, Schwalbe One (only 24" and 25")	90								
NSW070107	0	Tyre, pneumatic, fine profile, Schwalbe Right Run (only 24 and 25) (only 24 and 25)	50								
NSW070106		Tyre, pneumatic, tread, Schwalbe Downtown Two Grip (only 24")	90								
NSW070104		Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution	90								
11011010101		Tyro, priodificatio, pariotaro proof, troda, corrivato maratron 1100 Evolution									
		HANDRIMS									
NSW070202	0	Handrims, aluminium, anodised, silver									
NSW070201	0	Handrims, aluminium, powder-coated, clear									
NSW070204	0	Handrims, stainless steel, silver									
NSW070203		Handrims, aluminium, powder-coated, coloured (select colour on last page, upcharge charged once)	60								
NSW070205		Handrims, titanium, untreated (not in 22")									
NSW070206		Handrims, titanium, powder-coated, clear (not in 22")									
NSW070207		Handrims, Supergrip ®	222								
NSW070208		Handrims, Maxgrepp ® (only 22" & 24")	222								
NSW070212		Handrims, Ellipse 3R, black (ergonomic handrims with rubber-strip, 24" and 25" only)	177								
NOW/070050		Handrim accessories	00								
NSW070250		Handrim cover, rubber (not with 25" and 26")	90								
		Handrim mounting									
NSW070307	0	Handrim mount, super narrow (7 mm) (only with stainless steel)									
NSW070317	•	Handrim mount, narrow (17 mm)									
NSW070327	0	Handrim mount, wide (27 mm)									
		WHEEL CAMPED									
NOW/070000		WHEEL CAMBER									
NSW070600	0	0°									
NSW070602	0	2° (3)									
NSW070604	0	4° (3)									
		SPOKE GUARDS (coloured: only 22 & 24"; transparent: only 22", 24" & 26")									
NSW070831		Transparent	122								
NSW070826		Rotation NSW070815 Graphik NSW070804 Bibbo	122								
NSW070810		Fantasy NSW070813 Glaktica NSW070805 Cheese	122								
NSW070823		Princess NSW070808 Dancing Bear NSW070818 Jungle Fever	122								
NSW070816		Happy Lions NSW070832 □ Water World NSW070825 □ Randolf	122								
NSW070819		Monkeys NSW070821 □ Pirates NSW070811 □ Feather	122								
NSW070820		Oriental NSW070824 Racing NSW070809 Dirt Race	122								
NSW070829		Superhero NSW070814 Graffiti NSW070806 Chrome	122								
NSW070817		Hot Wheels NSW070802 □ Basketball NSW070803 □ Basketball 2	122								
NSW070822		Pool NSW070812	122								
NSW070827		Silk NSW070801 □ Abstract NSW070807 □ Creative	122								
NSW070830		Tiger NSW070833 □ Zebra	122								
(1)		ith fold down push handles & not without push handles									

- (1) Not with fold down push handles & not without push handles only with adapter, standard and only with 0° and 4° wheel camber
- (2) Not with rear wheels Spinergy / mountain bike/ drum brakes
- (3) Not with lightweight COG axle

•		= Standard	O = No cos	t option		= Cost option				£
		WHEEL LO	CKS					(choose or	nly one option)	
NSW060001	•	Standard brake								
NSW060002		Knee-lever brake								56
NSW060010		□ Brake lever ex	tension, kne	e-lever brake,	fold-do	wn				38
NSW060015		Push to lock brake,	one-arm, lef	t actuation						158
NSW060016		Push to lock brake,	one-arm, rig	ht actuation						158
NSW060003		Compact brake								58
		ACCESSORIES								
	<u>• </u>	Tool kit								45
	<u> </u>	Air pump	(0. 441.)							15
		High pressure pump	o (0 - 11 bar)							73 22
		Net bag Back pack								59
		Caddy, flip-up brack	et for hage				(not with platfo	orm footnlate	s high-mount)	59
		Mobile phone pocket					(not with platte	im lootpiate	3 High-Hount)	44
11011000020		Wobiic prioric pock	,,							
		COLOURS				(Please consult our co	lour catalogue to	review your	colour choice)	
		Frame	Handrim	Hub/rim (1)			Frame	Handrin	n Hub/rim	(1)
			£60	£171				£60	£171	
01 White RAL 9	901	0 0				26 Silver Texture	0			
02 Brilliant Silve	er	0				27 Graphite metallic	0			
03 Silver Matt		0				28 Platinum metallic	0			
04 Silver		0				29 Black	0			
06 Sun Yellow		0				31 Matt Black	0			
07 Brilliant Lime	е	0				32 Signal White	0			
08 Matt Lime		0				33 Pink	0			
14 Blue		0				34 Dark Chocolate Metallic	0			
15 Brilliant Mari	ine	0				35 Sky blue	0			
16 Matt Marine		0				36 Cyan-Metallic	0			
19 Brilliant Purp	ole	0				37 Mars Red (Orange)	0			
20 Matt Purple		0				39 Cappuccino	0			
21 Red Ruby		0				40 Kiwi	0			
22 Brilliant Red	I	0				41 Flamingo-Glitter	0			
23 Matt Red		0				42 Matt Anthracite	0			
24 Tutti Frutti C)ran	nge O				43 Azure Blue	0			
(1) or	าly v	with rear wheel, Univ	ersal							
		COLOURS	FOR REA	R WHEEL, I	LIGHT	WEIGHT, 24"	(hub and rir	m anodized,	black spokes)	
NSW100336		Anodized, orange					(only with Rea			91
		Anodized, blue					(only with Rea			91
NSW100338 [Anodized, red					(only with Rea	r wheel, ligh	tweight in 24")	91
NEWAGOEEG	$\overline{}$		stickers ("Ned	on ² " on the fran	ne and	"Quickie" on sideguard)				
	<u>0</u>	black silver								
	0	orange								
	0	red								
	0	blue								
			lease apply	for a quote: lea	nd time	conditions may change.				
		opeonii ii ii ii								
								b	ouilt <mark>4</mark> r	me
Quickie No	eo	n² - Base Pric	е						£1,500	
Option price			-						£	
VAT.									£	
Total Price		(Not Including 5% Surcharge)							£	

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

a) For the user: Allow space between sideguard and hip on each side of the chair

(approx. 1 - 2 cm altogether).

b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

a) For the user: When sitting upright: leave space for 2 - 3 fingers between

front edge of the seat upholstery and back of knee.

(approx. 3 - 6 cm). Care must be taken with adj. upholstery.

b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

b) On the wheelchair:

a) For the user: When sitting with 90° knee angle:

From back of knee to bottom of shoe sole. From front of seat tube to the ground.

(min. 3cm longer than user measurement). Remember to include the cushion height.

Rear seat height:

b) On the wheelchair: From back of seat tube to the ground.

Note: Max. seat height difference rear to front is 11 cm.

Back height:

a) For the user: From the seat, including cushion, to be no more than 1 - 2 cm below the lower shoulder blade.

b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.

Note: The user's ability to sit upright has a major influence on the

back height and it can therefore differ considerably.

Back angle: Important: The back height depends on the degree of disability.

 0° is the angle 90° to the ground. Negative angles are ${<}90^{\circ}$

and positive angles are >90°.

Technical Data Overview:

Max. overall height:102 cmMax. overall length:115 cmMax. pivot width:70 cm

Max. safe slope: 7° (for use of parking brakes)

Wheelchair weight: from 11,5 kg
Dismantled weight: from 9,1 kg
Mass of heaviest part: 2,1 kg
Max. overall width: Camber

For 0° camber: SW + 16 cm For 2° camber: SW + 22 cm For 4° camber: SW + 27 cm

Intended use and environment - for people with limited mobility; self-propelling or being pushed by an assistant, indoor and outdoor use.

Product is **crash tested according to ISO 7176-19** and therefore approved for transportation in a vehicle in combination with option "Tie down brackets for transportation". For transport without a user, fix the chair safely in the vehicle (e.g. car or plane).

All changes in the configuration might change the seat heights.

Manufacturing tolerances of +/- 1 cm.



NSW020002 Seat sling with 1 utility bag



NSW020003 Seat sling with 2 utility bags



NSW090018 Lap belt with buckle, metal



NSW030012 Backrest, angle adjustable



NSW030201 Push handles, long



NSW030203 Push handles, fold-down



NSW030204 Push handles, height-adjustable



NSW030316 EXO backrest sling



NSW030317 EXO PRO backrest sling



NSW030412 Headrest, medium

Folding-Matrix for NSW030031 Backrest, fold-down to the front.

Seat width

Back height



NSW030031 Backrest, fold-down

	32.5	35	37.5	40	42.5	45	47.5
32	✓	✓	✓	✓	✓	✓	✓
34	✓	✓	✓	✓	✓	✓	✓
36	✓	✓	✓	✓	✓	✓	✓
38		✓	✓	✓	✓	✓	✓
40			✓	✓	✓	✓	✓
42				✓	✓	✓	✓
44				✓	✓	✓	✓
46					✓	✓	✓
48						✓	✓
50							✓



=folds 90° to the front on folded chair



=can't be folded full 90° to the front on folded chair in combination with fold-down push handles



=can't be folded full 90° to the front on folded chair



=will fold less than 45° to the front on folded chair, folds 90° on unfolded chair



JAY 3 Back Shallow Contour



8 cm

JAY 3 Back Mid Contour



JAY 3 Carbon Back Shallow Contour



NSW050011 Hanger, aluminium, flip-up (0-90°, Swing-away



NSW04000x Desk sideguard, armpad, flip-up, removable



NSW040050 Single-post sideguard



NSW040052 Single-post sideguard, armpad (33 cm)



NSW040117 Tubular armrest, swing away, removable, padded



NSW040107 Sideguard, composite, removable (black)



NSW040103 Aluminium, cold weather protection, fender



NSW040104 Carbon fibre, cold weather protection, fender

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS

				Seat Depth			
COG	380	400	420	440	460	480	500
40	×	×	×	~	~	~	~
60	×	×	×	×	~	~	~
70	×	×	×	×	~	~	~
80	×	×	×	×	×	~	~
90	×	×	×	×	×	~	~
100	×	×	×	×	×	×	~
110	×	×	×	×	×	×	~
120	×	X	×	X	×	×	×
130	×	×	×	×	×	×	×



NSW050022 Footboard divided, aluminium, frame colour



NSW050059 Footboard platform, Performance



NSW050132 Footboard platform, lightweight, carbon fibre



NSW050127 Adjustable side protection



NSW090010 Transit wheels



NSW090006 Anti-tip tubes, swing away



NSW090001 Tip assist



NSW080013 & NSW080306 Castor fork, Carbotecture & Castor solid (soft) aluminium



NSW080008 Castor fork, aluminium, one-arm, red



NSW070001 Universal wheel



NSW070002 Design wheel



NSW070003 Lightweight wheel



NSW070004 Proton wheel



NSW070010 Mountain bike wheel



NSW070101 Schwalbe Right Run



NSW070106 Schwalbe Down Town



NSW070107 Schwalbe One



NSW070104 Schwalbe Marathon Plus Evolution



NSW070102 Tyre, puncture proof



NSW070208 Handrims Maxgrepp



NSW070212 Handrims Ellipse 3R



NSW060001 Standard brake



NSW060002 Knee lever brake



NSW060003 Compact brake



NSW090000 Tool kit



NSW090024 High pressure pump



NSW090025 Air pump



NSW090030 Back pack



NSW090019 Caddy, flip-up bracket for bags



NSW090026 Mobile phone pocket



NSW100336 Lightweight wheel, anodized orange



NSW100337 Lightweight wheel, anodized blue



NSW100338 Lightweight wheel, anodized red