

Invoice to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:



Deliver to:
 Name:
 Street:
 Town: Postal code:
 E-Mail:
 Tel: Fax:

Order date:
 Purchase order:
 Number required:

Marked for:
 Sunrise order no:

Fax number: +44 (0)845 605 66 89

Email: orders@sunmed.co.uk

Part no. 84400101 QMA01

Base Pricing
£1,250

5% Surcharge will be added to the total value of the order

Max. user weight:

125 kg

USER WEIGHT

 kg

CLIENT MEASUREMENT

Seat width (cm)

	34	36	38	40	42	44	46	48
Seat depth (cm)	36	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	38	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	40	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	42	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	44	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	46	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	48	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	50	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Frame Length Matrix

Seat Depth	Frame Length
36-40cm	Short
42-44cm	Medium
46-48cm	Long
50cm	Extra long

Please note that the measurement is from the back. All measurements are in cm and without a cushion.

FRONT SEAT HEIGHT SELECTION: independent of front castors and frame versions

Front seat height (cm)

	Fork type (mm)	39	40	41	42	43	44	45	46	47	48	49	50
Front Castor	4"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	5"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	6"	Short	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
		Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
	7"	Long	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Max. difference front/ rear seat height: 0 - 110 mm

REAR SEAT HEIGHT SELECTION: independent of rear wheel size

Rear seat height (cm)


Wheels	36	37	38	39	40	41	42	43	44	45	46	47
22"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
24"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
25"	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

					£
SEAT UPHOLSTERY AND CUSHIONS					
Seat Slings					
LRF020001	●	Seat sling, Nylon, tension adjustable			
LRF020002	□	Seat sling, nylon, tension adjustable, 1 utility bag			28
LRF020000	○	Without seat sling			
Seat Cushion with black cover					
LRF020101	□	Seat cushion, foam (medium-soft), cover with zipper, black, 3cm			66
LRF020102	□	Seat cushion, foam (medium-soft), cover with zipper, black, 5cm			66
LRF020103	□	Seat cushion, Latex (very soft), cover with zipper, black, 5cm			66
LRF020104	□	Seat cushion, Latex (very soft), cover with zipper, black, 8cm			66
Seat Cushion with water resistant/ breathable cover					
LRF020105	□	Seat cushion, foam (medium-soft), climatic membrane water-resistant, cover with zipper, black, 3cm			123
LRF020106	□	Seat cushion, foam (medium-soft), climatic membrane water-resistant, cover with zipper, black, 5cm			123
LRF020107	□	Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 5cm			123
LRF020108	□	Seat cushion, Latex (very soft), climatic membrane water-resistant, cover with zipper, black, 8cm			123
Jay Cushion - for complete Jay product range see Jay order forms					
JAY020002	□	JAY Basic			55
JAY020003	□	JAY Soft Combi P			77
JAY020001	□	JAY Easy Visco C			132
JAY020007	□	JAY Easy Fluid			308
JAY020004	□	JAY LITE			215
Seat accessories					
LRF090018	□	Lap belt with buckle, metal			58
LRF020150	□	Replacement cover for seat cushion, cover with zipper, black			48
					<i>(only with cushion order)</i>
BACKREST					
Backrest height range		25-30	30-35	35-40	40-50
Back height set at (cm)		○ 25	○ 30	○ 35	○ 40
		○ 27.5	○ 32.5	○ 37.5	○ 42.5
		○ 30	○ 35	○ 40	○ 45
LRF030001	●	Backrest tube, aluminium			<i>(from BH 27.5cm)</i>
LRF030015	○	Backrest, angle-adjustable, fold-down			
		○ -12° (78 EU)	○ -8° (82 EU)	○ -4° (86 EU)	
		○ 0° (90 EU)	○ 4° (94 EU)	○ 8° (98 EU)	
LRF030102	□	Backrest, angle-adjustable, lock when folded			<i>(only with angle adj back)</i> 69
Push handles					
LRF030201	●	Push handles long			
LRF030203	□	Push handles, fold-down			<i>(only from back height 30cm)</i> 129
LRF030204	□	Push handles, height-adjustable			<i>(only from back height 30cm)</i> 171
LRF030205	□	Push handles, height-adjustable for Jay backs			<i>(only from back height 30cm)</i> 171
LRF030200	○	Without push handles			
Headrest					
LRF030410	□	Headrest, tall height, depth and angle-adjustable, 23 x 11cm			<i>(Only with push handles height adjustable)</i> 203
LRF030411	□	Headrest, medium height, depth & angle-adjustable, 20 x 11cm			<i>(Only with push handles height adjustable)</i> 203
Backrest upholstery (black)					
LRF030316	○	EXO Backrest sling, padded, adjustable, 1 accessory bag, black (Evo Exo Version)			
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue			
LRF030317	□	EXO PRO Backrest sling, padded, adjust., breathable spacer fabric, accessory bag, black (Evo Exo Version)			147
		Colour, binding tape: ● Black ○ Orange ○ Silver ○ Red ○ Blue			
LRF030000	○	Without backrest upholstery			

								£		
JAY BACKS plus ACCESSORIES - for complete Jay product range see Jay order forms										
Jay 3 Back - Shallow Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY030010	Medium 34cm	<input type="checkbox"/>	JAY030033	Tall 38cm		506		
Upper Thoracic:	<input type="checkbox"/>	JAY030012	Short 42cm	<input type="checkbox"/>	JAY030019	Medium 46cm	<input type="checkbox"/>	JAY030025	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/>	JAY030015	Short 53cm	<input type="checkbox"/>	JAY030022	Medium 57cm	<input type="checkbox"/>	JAY030028	Tall 61cm	572
Jay 3 Back - Mid Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY030011	Medium 34cm	<input type="checkbox"/>	JAY030018	Tall 38cm		506		
Upper Thoracic:	<input type="checkbox"/>	JAY030013	Short 42cm	<input type="checkbox"/>	JAY030020	Medium 46cm	<input type="checkbox"/>	JAY030026	Tall 50cm	572
Shoulder Height:	<input type="checkbox"/>	JAY030016	Short 53cm	<input type="checkbox"/>	JAY030023	Medium 57cm	<input type="checkbox"/>	JAY030029	Tall 61cm	572
Jay 3 Back - Mid Deep Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY030040	Short 30cm	<input type="checkbox"/>	JAY030041	Tall 38cm		627		
Upper Thoracic:	<input type="checkbox"/>	JAY030042	Medium 46cm					627		
Shoulder Height:	<input type="checkbox"/>	JAY030043	Short 53cm					627		
Jay 3 Back - Deep Contour										
Upper Thoracic:	<input type="checkbox"/>	JAY030014	Short 42cm	<input type="checkbox"/>	JAY030021	Medium 46cm	<input type="checkbox"/>	JAY030027	Tall 50cm	627
Shoulder Height:	<input type="checkbox"/>	JAY030017	Short 53cm	<input type="checkbox"/>	JAY030024	Medium 57cm	<input type="checkbox"/>	JAY030030	Tall 61cm	627
Jay Easy Back - Posterior Deep Contour										
Mid Thoracic:	<input type="checkbox"/>	JAY050037	Tall 38cm					528		
Upper Thoracic:	<input type="checkbox"/>	JAY050031	Medium 46cm					528		
Shoulder Height:	<input type="checkbox"/>	JAY050032	Short 53cm					528		
JAY030004	<input type="checkbox"/>	Jay Headrest S/A					(only with Jay 3 backs)	255		
JAY030006	<input type="checkbox"/>	Standard Jay headrest					(only with Jay 3 backs)	138		
ARMREST AND SIDEGUARDS										
Armrest (choose only one option, not in combination with sideguards; only with 0° and 1° camber)										
LRF040050	<input type="checkbox"/>	Single-post sideguard, height-adjustable, removable, armpad (25cm),						146		
LRF040051	<input type="checkbox"/>	Single-post sideguard, height-adjustable, removable, armpad (36cm),						146		
LRF040052	<input type="checkbox"/>	Single-post sideguard, depth adjustable, tool height-adjustable, removable, armpad (33cm)						146		
Sideguards (not in combination with armrest)										
LRF040107	<input type="radio"/>	Sideguard, composite, removable, 21 cm high (31cm long), black								
LRF040102	<input type="checkbox"/>	Sideguard, aluminium, cold weather protection (in frame colour)					(effective seat width is sw + 2cm)	164		
LRF040103	<input type="checkbox"/>	Sideguard, aluminium, fender, cold weather protection (in frame colour)					(effective seat width is sw + 2cm)	164		
LRF040104	<input type="checkbox"/>	Sideguard, carbon fibre, fender, cold weather protection (black)					(effective seat width is sw + 2cm)	308		
FRAME										
LRF010010	<input type="radio"/>	Frame FF 75 ° (integrated footrest)					(LLL from 34cm)			
LRF010011	<input type="radio"/>	Frame FF 85 ° (integrated footrest)								
LRF010016	<input type="checkbox"/>	Frame FF 85 ° (integrated footrest), inset (2cm on each side), active						146		
LRF010015	<input type="radio"/>	Frame SA (removable footrest)								
LRF090100	<input checked="" type="radio"/>	Tie down brackets for transportation								
CENTRE OF GRAVITY (COG) measured from front of back post; choose only one option										
COG23	<input type="radio"/>	Centre of gravity 2.3cm								
COG43	<input type="radio"/>	Centre of gravity 4.3cm								
COG63	<input type="radio"/>	Centre of gravity 6.3cm								
COG83	<input type="radio"/>	Centre of gravity 8.3cm								
Frame accessories										
LRF010500	<input type="checkbox"/>	Handbike axle					(1)	270		
LRF090010	<input type="checkbox"/>	Transit wheels					(Not with crutch holder, tip assist and anti tip)	194		
Tip assist (step tube) & Crutch holder (choose either tip assist or anti-tip tubes, not both)										
LRF090001	<input type="checkbox"/>	Tip assist, left	LRF090002	<input type="checkbox"/>	Tip assist, right			28		
LRF090003	<input type="checkbox"/>	Tip assist, pair						54		
LRF090009	<input type="checkbox"/>	Crutch holder, loop					(only in combination with tip assist)	67		
Anti-tip tubes, swing-away (choose either tip assist or anti- tip tubes, not both)										
LRF090036	<input type="radio"/>	Anti-tip tubes, aluminium, lightweight, swing-away (forwards), pair								
LRF090004	<input type="checkbox"/>	Anti-tip tubes, swing-away, left	LRF090005	<input type="checkbox"/>	Anti-tip tubes, swing-away, right			75		
LRF090006	<input type="checkbox"/>	Anti-tip tubes, swing-away, pair						147		
(1) (max 100 kg user weight; not with drumbrake, crutch holder, tip assist, anti tip, wheel drive)										

							£	
PREPARATION FOR ATTITUDE ADD-ON BIKE - only with FF-Frame								
LRF090211	<input type="checkbox"/>	Preparation for ATTITUDE, w/o ATTITUDE order					(docking pins assembled)	97
LRF090212	<input type="radio"/>	Preparation for ATTITUDE, with ATTITUDE order					(docking pins assembled; ATTITUDE order seperately)	
EMPULSE F55 BUNDLING								
EMO000101	<input type="radio"/>	With F55 order, not mounted to the wheelchair					(Please use separate OF to order the F55.)	
EMO000102	<input type="radio"/>	With F55 order, mounted to the wheelchair					(Please use separate OF to order the F55.)	
HANGERS & FOOTPLATES								
LRF050002	<input type="radio"/>	Hanger angle 70°						
LRF050001	<input type="radio"/>	Hanger angle 80°						
LRF050041	<input type="radio"/>	Hanger angle 90°					(not with 6" & 7" castor)	
LRF050008	<input type="radio"/>	Hanger, aluminium, swing-away, pair						
LRF050006	<input type="radio"/>	Hanger, aluminium, swing-away, LH	LRF050007	<input type="radio"/>	Hanger, aluminium, swing-away, RH			
Composite hanger								
LRF050002	<input type="radio"/>	Hanger angle 70°						
LRF050001	<input type="radio"/>	Hanger angle 80°						
LRF050005	<input type="radio"/>	Hanger, composite, swing-away, pair						
LRF050003	<input type="radio"/>	Hanger, composite, swing-away, LH	LRF050004	<input type="radio"/>	Hanger, composite, swing-away, RH			
Elevating Legrest (ELR)								
LRF050011	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, pair	(1)				(from seat width 38cm)	255
LRF050009	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, LH	(1)					127
LRF050010	<input type="checkbox"/>	Hanger, aluminium, flip-up (0° - 90°), swing-away, RH	(1)					127
Footplate (when SA front selected)								
LRF050020	<input checked="" type="radio"/>	Footplates, divided, composite, angle-adjustable, flip-up (sideways), heel loop, black	(2)					
LRF050050	<input type="checkbox"/>	Footplates, divided, aluminium, angle-adjustable, flip-up (sideways), heel loop, black				(from LLL 35cm)	110	
LRF050102	<input type="checkbox"/>	Footboard, platform, aluminium, angle-adjustable, flip-up (sideways), heel loop, black	(3)					146
		LRF050126 <input type="checkbox"/> Swing-away mechanism for platform footboard				(from LLL 34cm)	102	
		LRF050062 <input type="checkbox"/> Locking system, platform footplate, aluminium					54	
Platform footrest, angle adjustable (only for seat width 32 to 50cm)								
LRF050131	<input type="checkbox"/>	Footboard, platform, lightweight, composite, angle & depth-adjustable flip up, calf strap black	(4)					144
LRF050132	<input type="checkbox"/>	Footboard, platform lightweight, carbon fibre, angle & depth-adjustable flip-up, calf strap, black	(4)					305
LRF050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard				(only in combination with Platform)	19	
Footrest (only with fixed front frame) (not with hanger; lower leg length between 36 - 52.5cm)								
LRF050025	<input type="radio"/>	Footboard, platform, lightweight, composite, angle and depth-adjustable, calf strap, black						
LRF050024	<input type="checkbox"/>	Footboard, platform, lightweight, aluminum, angle and depth-adjustable, calf strap, frame colour						146
LRF050127	<input type="checkbox"/>	Adjustable side protection, to create a side-stop on the footboard				(only with LIR050025/050024/050032)	19	
LOWER LEG LENGTH (LLL in cm) (Attention: LLL has to be 25 mm lower than seat height front)								
<input type="radio"/> 33 <input type="radio"/> 34 <input type="radio"/> 35 <input type="radio"/> 36 <input type="radio"/> 37 <input type="radio"/> 38 <input type="radio"/> 39 <input type="radio"/> 40 <input type="radio"/> 41 <input type="radio"/> 42 <input type="radio"/> 43 <input type="radio"/> 44 <input type="radio"/> 45 <input type="radio"/> 46 <input type="radio"/> 47								
FORK (compare with your choice on the first page)								
LRF080041	<input checked="" type="radio"/>	Castor fork, Aluminium, Black						
		LRF080042 <input type="radio"/> Colour Cast. Fork Silver						
		LRF080043 <input type="radio"/> Colour Cast. Fork Orange						
CASTOR (compare with your choice on the first page)								
LRF080301	<input type="radio"/>	Castor, solid (hard), rim: composite, black						
LRF080302	<input type="radio"/>	Castor, solid (soft), rim: composite, black				(only for 5" & 6" castors; max SH 520mm)		
LRF080305	<input type="radio"/>	Castor, pneumatic, rim: composite, black				(only for 6" & 7" castors)		
LRF080303	<input type="checkbox"/>	Castor, solid (hard), light-up, rim: composite, black				(Not available for 6"/7")	67	
Castor with aluminium rim								
LRF080304	<input type="checkbox"/>	Castor, solid (hard), rim: aluminium				(Only for 4" and 5")	79	
LRF080306	<input type="checkbox"/>	Castor, solid (soft), rim: aluminium, silver				(Only for 4" and 5";)	79	
		Colour, rim: LRF080311 <input type="radio"/> Black	LRF080315	<input type="radio"/>	Blue			
		LRF080313 <input type="radio"/> Orange	LRF080314	<input type="radio"/>	Red			
(1):	Not in combination with platform footboard		(2):	pair; from LLL 33cm; only from SW 36cm				
(3):	from LLL 35cm; not in combination with ELR		(4):	not with ELR				

				£
REAR WHEELS <i>(compare with your choice on the first page; choose only one wheel type)</i>				
LRF070000	<input type="radio"/>	Without rear wheel		
LRF070001	<input type="radio"/>	Rear wheel, Universal, 36 spokes (silver), cross-wise spokes	<i>(only 22"/24")</i>	
LRF070002	<input type="radio"/>	Rear wheel, Design, 36 spokes (silver), straight spokes	<i>(only 24")</i>	
LRF070003	<input type="checkbox"/>	Rear wheel, Lightweight, 24 spokes (silver), straight spokes	<i>(max. user weight: 125 kg)</i>	222
LRF070004	<input type="checkbox"/>	Rear wheel, Proton, 24 spokes (black), straight spokes	<i>(max. user weight: 100 kg)</i>	468
LRF070005	<input type="checkbox"/>	Rear wheel, Spinergy, 18 spokes (black), straight spokes, hub: silver	<i>(only 24"/25")</i>	437
LRF070008	<input type="checkbox"/>	Rear wheel, drum brakes, 36 spokes (silver), cross-wise spokes	<i>(only 22"/24")</i>	353
LRF070009	<input type="checkbox"/>	Rear wheel, Mountain bike, 36 spokes (silver), straight spokes	<i>(only 24")</i>	297
LRF070010	<input type="checkbox"/>	Mountain bike wheel, replacement kit incl. tyre (extra coarse profile)	<i>(only 24")</i>	453
TYRES <i>(choose only one tyre type)</i>				
LRF070107	<input checked="" type="radio"/>	Tyre, pneumatic, slick, Schwalbe One		<i>(only 24"/25")</i>
LRF070101	<input type="radio"/>	Tyre, pneumatic, fine profile, Schwalbe Right Run		<i>(only 22"/24")</i>
LRF070102	<input type="radio"/>	Tyre, puncture proof, tread		<i>(25" only with Proton, lightweight wheel)</i>
LRF070106	<input type="checkbox"/>	Tyre, pneumatic, tread, Schwalbe Downtown Two Grip		<i>(only 24")</i>
LRF070104	<input type="checkbox"/>	Tyre, pneumatic, puncture proof, tread, Schwalbe Marathon Plus Evolution		<i>(only 24"/25")</i>
HANDRIM				
LRF070202	<input type="radio"/>	Handrims, aluminium, anodised, silver		
LRF070201	<input type="radio"/>	Handrims, aluminium, powder-coated, clear		
LRF070204	<input type="checkbox"/>	Handrims, stainless steel, silver		60
LRF070203	<input type="checkbox"/>	Handrims, aluminium, powder-coated, coloured		60
LRF070207	<input type="checkbox"/>	Handrims, Supergrip ®		<i>(22" only with universal and drum brake wheels)</i>
LRF070208	<input type="checkbox"/>	Handrims, Maxgrepp ®		<i>(only 22"/24", only handrim mounting wide)</i>
LRF070212	<input type="checkbox"/>	Handrims, Ellipse 3R, black		<i>(ergonomic handrims with rubber-strip, 24" and 25" only)</i>
LRF070200	<input type="radio"/>	Without handrims		
HANDRIM MOUNTING				
LRF070307	<input type="radio"/>	Handrim mount, super narrow (7 mm)		<i>(Only with 24" stainless steel)</i>
LRF070317	<input type="radio"/>	Handrim mount, narrow (17 mm)		<i>(not with Maxgrepp)</i>
LRF070327	<input type="radio"/>	Handrim mount, wide (27 mm)		
HANDRIM COVER				
LRF070250	<input type="checkbox"/>	Handrim cover, Silicon		<i>(not with 25", Supergrip.Maxgrepp)</i>
WHEEL CAMBER <i>(choose only one option; Armrests only with 0° & 1°)</i>				
LRF070600	<input type="radio"/>	Camber 0°		<i>(no camber brackets provided)</i>
LRF070601	<input checked="" type="radio"/>	Camber 1°	LRF070603 <input type="radio"/>	Camber 3°
LRF070602	<input type="radio"/>	Camber 2°	LRF070604 <input type="radio"/>	Camber 4°
SPOKE GUARDS <i>(not with spinergy wheels, not with 25", not with mountain bike)</i>				
LRF070831	<input type="checkbox"/>	Transparent		122
LRF070824	<input type="checkbox"/>	Racing	LRF070801 <input type="checkbox"/>	Abstract
			LRF070806 <input type="checkbox"/>	Chrome
LRF070822	<input type="checkbox"/>	Pool	LRF070820 <input type="checkbox"/>	Oriental
			LRF070809 <input type="checkbox"/>	Dirt Race
LRF070811	<input type="checkbox"/>	Feather	LRF070817 <input type="checkbox"/>	Hot Wheels
			LRF070802 <input type="checkbox"/>	Basketball
LRF070814	<input type="checkbox"/>	Graffiti	LRF070807 <input type="checkbox"/>	Creative
			LRF070827 <input type="checkbox"/>	Silk
WHEEL LOCKS <i>(choose only one option)</i>				
LRF060001	<input type="radio"/>	Standard brake		
LRF060003	<input type="checkbox"/>	Compact brake		58
LRF060002	<input type="checkbox"/>	Knee-lever brake		56
LRF060010	<input type="checkbox"/>	Brake lever extension, knee-lever brake, fold-down		38

										£
ACCESSORIES										
LRF090000	●	Tool kit								
LRF090025	□	Air pump								15
LRF090024	□	High pressure pump (0 - 11 bar)								73
LRF090030	□	Back pack								59
LRF090019	□	Caddy, flip-up bracket for bags								59
LRF090026	□	Mobile phone pocket								44
COLOURS ⁽¹⁾ Please consult our colour catalogue to review your colour choice										
	Frame	Handrim	Hub/rim	Fork		Frame	Handrim	Hub/rim	Fork	
		£60	£171	£58			£60	£171	£58	
01 White RAL 9010	○	□	□	□	26 Silver Texture	○	□	□	□	
02 Brilliant Silver	○	□	□	□	27 Graphite metallic	○	□	□	□	
03 Silver Matt	○	□	□	□	28 Platinum metallic	○	□	□	□	
04 Silver	○	□	□	□	29 Black	○	□	□	□	
06 Sun Yellow	○	□	□	□	31 Matt Black	○	□	□	□	
07 Brilliant Lime	○	□	□	□	32 Signal White	○	□	□	□	
08 Matt Lime	○	□	□	□	33 Pink	○	□	□	□	
14 Blue	○	□	□	□	34 Dark Chocolate Metallic	○	□	□	□	
15 Brilliant Marine	○	□	□	□	35 Skyblue	○	□	□	□	
16 Matt Marine	○	□	□	□	36 Cyan-Metallic	○	□	□	□	
19 Brilliant Purple	○	□	□	□	37 Mars red (Orange)	○	□	□	□	
20 Matt Purple	○	□	□	□	39 Cappuccino	○	□	□	□	
21 Red Ruby	○	□	□	□	40 Kiwi	○	□	□	□	
22 Brilliant Red	○	□	□	□	41 Flamingo-Glitter	○	□	□	□	
23 Matt Red	○	□	□	□	42 Matt-Anthracite	○	□	□	□	
24 Tutti Frutti Orange	○	□	□	□	43 Azure Blue	○	□	□	□	
(1) Handrim: only with handrim colour powder coated; Hub/rim: only for universal wheel										
STICKER COLOURS										
LRF100550	●	Sticker colour - black								
LRF100551	○	Sticker colour - silver								
ANODIZED COLOUR AXLE PLATE										
LRF100580	●	Axle plate anodized, black								
LRF100581	○	Axle plate anodized, silver								
LRF100582	○	Axle plate anodized, orange								
24 " LIGHT WEIGHT WHEEL COLOURS										
	●	Black								
LRF100336	□	Anodized, orange								91
LRF100337	□	Anodized, blue								91
LRF100338	□	Anodized, red								91
COMMENTS FOR SPECIAL BUILD										
										
Quickie Life R - Basic Price										£1,250
Option price										£
Packaging and transport										£
Exclusive VAT										£
VAT.										£
Total Price (Not Including 5% Surcharge)										£

Please follow this measuring method:

The following method is recommended on the basis of extensive practical experience. Deviations are possible in individual instances.

Seat width (SW):

- a) For the user: Allow space between sideguard and hip on each side of the chair (approx. 10 - 20 mm altogether)
- b) On the wheelchair: From outside frame tube to outside frame tube.

Seat depth (SD):

- a) For the user: When sitting upright: leave space for 2 - 3 fingers between front edge of the seat upholstery and back of knee. (approx. 30 - 60 mm). Care must be taken with adj. upholstery.
- b) On the wheelchair: From back tube to front of seat upholstery.

Front seat height:

- a) For the user: When sitting with 90° knee angle: From back of knee to bottom of shoe sole.
- b) On the wheelchair: From front of seat tube to the ground. (min. 30 mm longer than user measurement) Remember to include the cushion height.

Rear seat height:

- b) On the wheelchair: From back of seat tube to the ground.
Note: Max. seat height difference rear to front is 130 mm

Back height:

- a) For the user: From the seat, including cushion, to be no more than 10 - 20 mm below the lower shoulder blade.
- b) On the wheelchair: From back of seat tube to upper edge of backrest upholstery.
Note: The user's ability to sit upright has a major influence on the back height and it can therefore differ considerably

Back angle:

Important: The back height depends on the degree of disability.
0° is the angle 90° to the ground. Negative angles are < 90° and positive angles are > 90°.

F55 BUNDLING - NOGO MATRIX FOR 24" BACKWHEELS							
COG	Seat Depth						
	380	400	420	440	460	480	500
40	X	X	X	✓	✓	✓	✓
60	X	X	X	X	✓	✓	✓
70	X	X	X	X	✓	✓	✓
80	X	X	X	X	X	✓	✓
90	X	X	X	X	X	✓	✓
100	X	X	X	X	X	X	✓
110	X	X	X	X	X	X	✓
120	X	X	X	X	X	X	X
130	X	X	X	X	X	X	X

SEAT UPHOLSTERY AND CUSHIONS



Seat cushion, cover with zipper, black




Seat cushion, climate membrane water-resistant, cover with zipper, black



Jay Basic
(picture shown without upholstery)



Jay Soft Combi P
(picture shown without upholstery)



Jay Easy Visco
(picture shown without upholstery)



Jay Easy Fluid
(picture shown without upholstery)



Jay Lite



Lap belt with buckle, metal

BACKREST



Backrest, angle-adjustable, lock when folded



Push handles long



Fold down push



Height adjustable push handles



EXO
backrest sling



EXO PRO
backrest sling

ARMREST AND SIDEGUARDS



Single post height adjustable armrest



Single-post sideguard, depth adjustable, tool height-adjustable



Sideguard composite detachable



Sideguard carbon with fender



Sideguard alu with fender



Desk armrest, height adjustable, short armpad(25cm)



Desk armrest, fixed height, short armpad(25cm)



Desk armrest without armpad

Frame



Life SA



Life FF 85°



Life FF 75°



Frame FF 85° (integrated footrest), inset (20)

FRAME ACCESSORIES



Transit wheels



Tip assist



Crutch holder



Anti-tip swing away

FRAME ACCESSORIES




Aluminium hanger, 90°



Hanger Angle 70°/80°



Elevating legrest



Amputee Support Pad



Platform footplate lightweight angle & depth adjustable composite flip up



Divided footplate composite



Divided footplate aluminium



Platform, angle and depth adjustable; flip up, aluminium with locking system

FORKS



Fork Aluminium, black, orange & silver

REAR WHEELS



Universal cross spoked



Design wheel



Lightweight wheel



Spinergy wheel, 18 spokes



Drum brake wheel

TYRES



Right Run Tyre



Solid Tyre



Marathon Plus Evolution



Supergrip



Max Grepp



Ellipse 3R Handrim

WHEEL LOCKS



Knee lever wheel lock



Brake lever extension



Compact wheel lock



Standard brake

ACCESSORIES



Caddy



Back pack



High pressure pump



Air pump



Mobile phone pocket

Anodized colour axle plate



Axle plate
anodized, orange



Axle plate
anodized, silver



Axle plate
anodized, black

24 " LIGHT WEIGHT WHEEL COLOURS



Lightweight wheel, anodized orange



Lightweight wheel, anodized blue



Lightweight wheel, anodized red